

ACTIVE INGREDIENT: Indaziflam

GROUP 29 HERBICIDE

Cellulose biosynthesis inhibitor

SPECTICLE APPLICATION TO KIKUYU TURF

[Specticle®](#) is a broadspectrum long lasting pre-emergent herbicide. It provides outstanding control of broadleaf weeds and grass weeds like wintergrass, summergrass and crowsfoot grass.



Winter grass (*Poa annua*)



Summergrass (*Digitaria* spp.)



Crowsfoot (*Eleusine indica*)

STRATEGY FOR THE USE OF SPECTICLE ON KIKUYU TURF



For optimal results, ensure the following strategies are implemented when applying Specticle to Kikuyu turf:

- DO NOT apply to turf under stress. Stress can include wear, shade, disease, nematodes, nutrition and moisture. Especially check the health of the root system.
- DO NOT apply if heavy rain or storms are forecast.
- DO NOT apply to waterlogged soil.
- DO NOT irrigate turf to the point of run-off in the following few days. But do apply 3-6mm of irrigation within the following 21 days to move the herbicide into the thatch/soil.

A further strategy when possible is not to apply the herbicide in one application at 0.25L/ha, but to make multiple lighter rate applications.

This can be two applications at 0.125L applied on a 4-6 week interval. This reduces the risk of turf injury, especially in sandy soils. This strategy has also proven to give better overall weed control and can be adopted for other soils and situations.

Recent trials have tested programmes of 0.08-0.09L applied three times (thus a total of 0.25L) on a 4-6 week interval. Results have also shown excellent weed control.

There have been some isolated cases of turf damage on kikuyu golf course fairways from the application of [Specticle](#) in autumn.

There have been no reports of;

- Damage on kikuyu sportsfields at any time of the year.
- Damage in any kikuyu turf from winter, spring or summer applications.



Poa control with Specticle

TREATMENT TIPS FOR BEST RESULTS

Apply in 200-500 L water per ha.

Maximum application of 0.5L per ha per year.

Tank Mixing: If weeds are present at the time of application [Specticle](#) 200SC should be tank mixed with an appropriate post-emergent herbicide.

A good practice for herbicide resistance management is to tank mix herbicides with different modes of action.

AVAILABLE RESOURCES

For additional information on [Specticle](#) herbicide, see the [Label](#) and [SDS](#).

CONTACT US

Details can be found on the Envu website [here](#).

Find out more
about **Specticle**
Herbicide

