

**K-OBIOL EC COMBI SYNERGISED GRAIN
PROTECTANT**

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2023
1.1	06.11.2024	11281912-00002	Date of first issue: 23.10.2023

SECTION 1: IDENTIFICATION

Product name : K-OBIOL EC COMBI SYNERGISED GRAIN PROTECTANT

Product code : Article/SKU: 84919810; 84998028; 86806681 UVP: 81706182
Specification: 102000028651

Manufacturer or supplier's details

Company : 2022 Environmental Science AU Pty Ltd
ABN 49 656 513 923

Address : Suite 2.06, Level 2, 737 Burwood Road
Hawthorn East, Australia 3123

Telephone : (03) 7019 3839

Emergency telephone number : +61 2 9037 2994

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Acute toxicity (Oral) : Category 4

Serious eye damage/eye irritation : Category 2A

Skin sensitisation : Sub-category 1B

Carcinogenicity : Category 2

Specific target organ toxicity - single exposure : Category 3

GHS label elements

Hazard pictograms :  

Signal word : Warning

**K-OBIOL EC COMBI SYNERGISED GRAIN
PROTECTANT**

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2023
1.1	06.11.2024	11281912-00002	Date of first issue: 23.10.2023

Hazard statements : H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H351 Suspected of causing cancer.

Supplemental Hazard State-ments : AUH066 Repeated exposure may cause skin dryness or crack-
ing.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P261 Avoid breathing mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protec-
tion/ face protection.

Response:
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P321 Specific treatment (see supplemental first aid instructions on this label).
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ at-
tention.

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

**K-OBIOL EC COMBI SYNERGISED GRAIN
PROTECTANT**

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2023
1.1	06.11.2024	11281912-00002	Date of first issue: 23.10.2023

Other hazards which do not result in classification

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Emulsifiable concentrate (EC)

Components

Chemical name	CAS-No.	Concentration (% w/w)
2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO)	51-03-6	≥ 30 -< 60
Solvent naphtha (petroleum), heavy arom.	64742-94-5	≥ 10 -< 20
Benzyl alcohol	100-51-6	≥ 10 -< 30
Propylene carbonate	108-32-7	≥ 10 -< 30
Deltamethrin	52918-63-5	< 10
Benzenesulfonic acid, mono-C11-13-branched alkyl derivatives, calcium salts	68953-96-8	≥ 3 -< 10
2-Ethylhexan-1-ol	104-76-7	< 10

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.
If vomiting occurs have person lean forward.
Call a physician or poison control centre immediately.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.

**K-OBIOL EC COMBI SYNERGISED GRAIN
PROTECTANT**

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2023
1.1	06.11.2024	11281912-00002	Date of first issue: 23.10.2023

- Most important symptoms and effects, both acute and delayed : The product causes irritation of eyes, skin and mucous membranes.
Skin and eye paraesthesia which may be severe
Usually transient with resolution within 24 hours
Cough
sneezing
Harmful if swallowed.
May cause an allergic skin reaction.
Causes serious eye irritation.
May cause respiratory irritation.
Suspected of causing cancer.
Repeated exposure may cause skin dryness or cracking.
This product contains a pyrethroid.
Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : There is no specific antidote available.
Initial treatment: symptomatic.
Oxygen or artificial respiration if needed.
Monitor: respiratory and cardiac functions.
Recovery is spontaneous and without sequelae.
In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours.
However, the application of activated charcoal and sodium sulphate is always advisable.
In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens.
If not effective, phenobarbital may be used.
Contraindication: derivatives of adrenaline.
Contraindication: atropine.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

**K-OBIOL EC COMBI SYNERGISED GRAIN
PROTECTANT**

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2023
1.1	06.11.2024	11281912-00002	Date of first issue: 23.10.2023

Hazardous combustion products : Carbon oxides
Metal oxides
Sulphur oxides
Bromine compounds
Nitrogen oxides (NO_x)

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Hazchem Code : •3Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**K-OBIOL EC COMBI SYNERGISED GRAIN
PROTECTANT**

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2023
1.1	06.11.2024	11281912-00002	Date of first issue: 23.10.2023

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Avoid breathing mist or vapours.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
- Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Solvent naphtha (petroleum),	64742-94-5	TWA (Mist)	5 mg/m3	AU OEL

**K-OBIOL EC COMBI SYNERGISED GRAIN
PROTECTANT**

Version 1.1 Revision Date: 06.11.2024 SDS Number: 11281912-00002 Date of last issue: 23.10.2023
Date of first issue: 23.10.2023

heavy arom.				
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
2-Ethylhexan-1-ol	104-76-7	TWA	5 ppm	ACGIH

Engineering measures : Minimize workplace exposure concentrations.
If sufficient ventilation is unavailable, use with local exhaust ventilation.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:
Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : light yellow, brown, clear

Odour : slight, acrid

**K-OBIOL EC COMBI SYNERGISED GRAIN
PROTECTANT**

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2023
1.1	06.11.2024	11281912-00002	Date of first issue: 23.10.2023

Odour Threshold	:	No data available
pH	:	4 - 7 (23 °C) Concentration: 1 % deionised water
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	103 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	ca. 1.07 g/cm ³ (20 °C)
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive

**K-OBIOL EC COMBI SYNERGISED GRAIN
PROTECTANT**

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2023
1.1	06.11.2024	11281912-00002	Date of first issue: 23.10.2023

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics
Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : LD50 (Rat): 710 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Remarks: Based on data from similar materials

Components:**2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 423

**K-OBIOL EC COMBI SYNERGISED GRAIN
PROTECTANT**

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2023
1.1	06.11.2024	11281912-00002	Date of first issue: 23.10.2023

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402

Solvent naphtha (petroleum), heavy arom.:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.28 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.4 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Propylene carbonate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Deltamethrin:

Acute oral toxicity : LD50 (Rat, female): 87 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 0.6 mg/l
Exposure time: 6 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

**K-OBIOL EC COMBI SYNERGISED GRAIN
PROTECTANT**

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2023
1.1	06.11.2024	11281912-00002	Date of first issue: 23.10.2023

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Benzenesulfonic acid, mono-C11-13-branched alkyl derivatives, calcium salts:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 1,000 - 2,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials

2-Ethylhexan-1-ol:

Acute oral toxicity : LD50 (Rat): 2,047 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.89 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 3,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

Components:**2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Assessment : Repeated exposure may cause skin dryness or cracking.

Solvent naphtha (petroleum), heavy arom.:

Assessment : Repeated exposure may cause skin dryness or cracking.

**K-OBIOL EC COMBI SYNERGISED GRAIN
PROTECTANT**

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2023
1.1	06.11.2024	11281912-00002	Date of first issue: 23.10.2023

Benzyl alcohol:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Propylene carbonate:

Species	:	Rabbit
Result	:	No skin irritation

Deltamethrin:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Benzenesulfonic acid, mono-C11-13-branched alkyl derivatives, calcium salts:

Species	:	Rabbit
Result	:	Skin irritation

2-Ethylhexan-1-ol:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Species	:	Rabbit
Result	:	Irritating to eyes.
Remarks	:	Based on data from similar materials

Components:**2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

Solvent naphtha (petroleum), heavy arom.:

Species	:	Rabbit
Result	:	No eye irritation

**K-OBIOL EC COMBI SYNERGISED GRAIN
PROTECTANT**

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2023
1.1	06.11.2024	11281912-00002	Date of first issue: 23.10.2023

Benzyl alcohol:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days
Method	: OECD Test Guideline 405

Propylene carbonate:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days
Method	: OECD Test Guideline 405

Deltamethrin:

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405

Benzenesulfonic acid, mono-C11-13-branched alkyl derivatives, calcium salts:

Species	: Rabbit
Result	: Irreversible effects on the eye

2-Ethylhexan-1-ol:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days
Method	: OECD Test Guideline 405

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Species	: Guinea pig
Result	: Probability or evidence of low to moderate skin sensitisation rate in humans
Remarks	: Based on data from similar materials

Components:**2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

**K-OBIOL EC COMBI SYNERGISED GRAIN
PROTECTANT**

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2023
1.1	06.11.2024	11281912-00002	Date of first issue: 23.10.2023

Solvent naphtha (petroleum), heavy arom.:

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative

Benzyl alcohol:

Test Type	: Human repeat insult patch test (HRIPT)
Exposure routes	: Skin contact
Species	: Humans
Result	: positive

Assessment	: Probability or evidence of low to moderate skin sensitisation rate in humans
------------	--

Deltamethrin:

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

Benzenesulfonic acid, mono-C11-13-branched alkyl derivatives, calcium salts:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative
Remarks	: Based on data from similar materials

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Components:**2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative

Solvent naphtha (petroleum), heavy arom.:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative

Genotoxicity in vivo	: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
	Species: Rat

**K-OBIOL EC COMBI SYNERGISED GRAIN
PROTECTANT**

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2023
1.1	06.11.2024	11281912-00002	Date of first issue: 23.10.2023

Application Route: Intraperitoneal injection
Result: negative

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Propylene carbonate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Deltamethrin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 473
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Method: OECD Test Guideline 482
Result: negative

Benzenesulfonic acid, mono-C11-13-branched alkyl derivatives, calcium salts:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Result: negative
Remarks: Based on data from similar materials

**K-OBIOL EC COMBI SYNERGISED GRAIN
PROTECTANT**

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2023
1.1	06.11.2024	11281912-00002	Date of first issue: 23.10.2023

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

2-Ethylhexan-1-ol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Carcinogenicity

Suspected of causing cancer.

Components:**2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

Species : Rat
Application Route : Ingestion
Exposure time : 107 weeks
Method : OECD Test Guideline 451
Result : negative

Solvent naphtha (petroleum), heavy arom.:

Species : Rat
Application Route : inhalation (vapour)
Exposure time : 105 weeks
Result : positive
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

Benzyl alcohol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks
Method : OECD Test Guideline 451
Result : negative

**K-OBIOL EC COMBI SYNERGISED GRAIN
PROTECTANT**

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2023
1.1	06.11.2024	11281912-00002	Date of first issue: 23.10.2023

Propylene carbonate:

Species	: Mouse
Application Route	: Skin contact
Exposure time	: 104 weeks
Result	: negative

Deltamethrin:

Species	: Rat
Application Route	: Ingestion
Method	: OECD Test Guideline 453
Result	: negative

2-Ethylhexan-1-ol:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 2 Years
Result	: negative

Reproductive toxicity

Not classified based on available information.

Components:**2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
----------------------	---

Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative
-------------------------------	--

Solvent naphtha (petroleum), heavy arom.:

Effects on fertility	: Test Type: Fertility Species: Rat Application Route: Ingestion Result: negative
----------------------	--

Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative
-------------------------------	---

Benzyl alcohol:

**K-OBIOL EC COMBI SYNERGISED GRAIN
PROTECTANT**

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2023
1.1	06.11.2024	11281912-00002	Date of first issue: 23.10.2023

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Ingestion
Result: negative

Propylene carbonate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Mouse
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Ingestion
Result: negative

Deltamethrin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative

Benzenesulfonic acid, mono-C11-13-branched alkyl derivatives, calcium salts:

Effects on fertility : Test Type: Three-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

**K-OBIOL EC COMBI SYNERGISED GRAIN
PROTECTANT**

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2023
1.1	06.11.2024	11281912-00002	Date of first issue: 23.10.2023

2-Ethylhexan-1-ol:

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Skin contact Method: OECD Test Guideline 414 Result: negative

STOT - single exposure

May cause respiratory irritation.

Components:**2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

Assessment : May cause respiratory irritation.

Solvent naphtha (petroleum), heavy arom.:

Assessment : May cause drowsiness or dizziness.

2-Ethylhexan-1-ol:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Components:**Solvent naphtha (petroleum), heavy arom.:**

Exposure routes	:	Ingestion
Assessment	:	No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

Deltamethrin:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

2-Ethylhexan-1-ol:

Assessment : No significant health effects observed in animals at concentrations of 1 mg/l/6h/d or less.

**K-OBIOL EC COMBI SYNERGISED GRAIN
PROTECTANT**

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2023
1.1	06.11.2024	11281912-00002	Date of first issue: 23.10.2023

Repeated dose toxicity**Components:****2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

Species	: Rat
NOAEL	: 1,323 mg/kg
Application Route	: Ingestion
Exposure time	: 7 Weeks

Solvent naphtha (petroleum), heavy arom.:

Species	: Rat
NOAEL	: 750 mg/kg
Application Route	: Ingestion
Exposure time	: 147 Days

Benzyl alcohol:

Species	: Rat
NOAEL	: 1.072 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 28 Days
Method	: OECD Test Guideline 412

Propylene carbonate:

Species	: Rat
NOAEL	: > 5,000 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days

Deltamethrin:

Species	: Dog
NOAEL	: 1 mg/kg
LOAEL	: 10 mg/kg
Application Route	: Ingestion
Exposure time	: 52 Weeks
Method	: OECD Test Guideline 452

Benzenesulfonic acid, mono-C11-13-branched alkyl derivatives, calcium salts:

Species	: Rat
LOAEL	: > 100 mg/kg
Application Route	: Ingestion
Exposure time	: 9 Months
Remarks	: Based on data from similar materials

2-Ethylhexan-1-ol:

Species	: Rat
NOAEL	: 250 mg/kg

**K-OBIOL EC COMBI SYNERGISED GRAIN
PROTECTANT**

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2023
1.1	06.11.2024	11281912-00002	Date of first issue: 23.10.2023

Application Route : Ingestion
Exposure time : 90 Days
Method : OECD Test Guideline 408

Species : Rat
NOAEL : 0.6384 mg/l
Application Route : inhalation (vapour)
Exposure time : 90 Days
Method : OECD Test Guideline 413

Aspiration toxicity

Not classified based on available information.

Product:

The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.

Components:**Solvent naphtha (petroleum), heavy arom.:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 3.94 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.51 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 3.89 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.824 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

**K-OBIOL EC COMBI SYNERGISED GRAIN
PROTECTANT**

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2023
1.1	06.11.2024	11281912-00002	Date of first issue: 23.10.2023

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.18 mg/l
Exposure time: 35 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.03 mg/l
Exposure time: 21 d

Toxicity to microorganisms : EC50: > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Solvent naphtha (petroleum), heavy arom.:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l
Exposure time: 96 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 1.4 mg/l
Exposure time: 48 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 - 3 mg/l
Exposure time: 72 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): 0.48 mg/l
Exposure time: 21 d
Test substance: Water Accommodated Fraction

Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

**K-OBIOL EC COMBI SYNERGISED GRAIN
PROTECTANT**

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2023
1.1	06.11.2024	11281912-00002	Date of first issue: 23.10.2023

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Propylene carbonate:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 1,000 mg/l
Exposure time: 96 h
Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): > 929 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Selenastrum capricornutum (green algae)): 929 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (Pseudomonas putida): 25,619 mg/l
Exposure time: 16 h
Method: DIN 38 412 Part 8

Deltamethrin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.15 µg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Gammarus fasciatus (freshwater shrimp)): 0.0003 µg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Chlorella vulgaris (Fresh water algae)): > 0.47 mg/l
Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.017 µg/l
Exposure time: 260 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0041 µg/l
Exposure time: 21 d

Toxicity to microorganisms : EC50 (activated sludge): > 0.3 mg/l
Exposure time: 3 h

Benzenesulfonic acid, mono-C11-13-branched alkyl derivatives, calcium salts:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 1 - 10 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

**K-OBIOL EC COMBI SYNERGISED GRAIN
PROTECTANT**

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2023
1.1	06.11.2024	11281912-00002	Date of first issue: 23.10.2023

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 10 mg/l
Exposure time: 72 h
Remarks: Based on data from similar materials

NOEC (Raphidocelis subcapitata (freshwater green alga)): > 1 mg/l
Exposure time: 72 h
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): > 0.1 - 1 mg/l
Exposure time: 72 d
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 1 mg/l
Exposure time: 21 d
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

2-Ethylhexan-1-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 28.2 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 39 mg/l
Exposure time: 48 h
Method: Directive 67/548/EEC, Annex V, C.2.

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 16.6 mg/l
Exposure time: 72 h
Method: Directive 67/548/EEC, Annex V, C.3.

EC10 (Desmodesmus subspicatus (green algae)): 16.6 mg/l
Exposure time: 72 h
Method: Directive 67/548/EEC, Annex V, C.3.

**K-OBIOL EC COMBI SYNERGISED GRAIN
PROTECTANT**

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2023
1.1	06.11.2024	11281912-00002	Date of first issue: 23.10.2023

Persistence and degradability**Components:****2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 92 - 96 %
Exposure time: 14 d

Propylene carbonate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: > 90 %
Exposure time: 28 d
Method: Directive 67/548/EEC Annex V, C.4.A.

Deltamethrin:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Benzenesulfonic acid, mono-C11-13-branched alkyl derivatives, calcium salts:

Biodegradability : Result: Not readily biodegradable.
Method: OECD Test Guideline 301E
Remarks: Based on data from similar materials

2-Ethylhexan-1-ol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 79 - 99.9 %
Exposure time: 14 d

Bioaccumulative potential**Components:****2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

Partition coefficient: n- : log Pow: 5
octanol/water

Benzyl alcohol:

**K-OBIOL EC COMBI SYNERGISED GRAIN
PROTECTANT**

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2023
1.1	06.11.2024	11281912-00002	Date of first issue: 23.10.2023

Partition coefficient: n-octanol/water : log Pow: 1.05

Propylene carbonate:

Partition coefficient: n-octanol/water : log Pow: -0.48

Deltamethrin:

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)
Bioconcentration factor (BCF): 1,400

Partition coefficient: n-octanol/water : log Pow: 6.4

Benzenesulfonic acid, mono-C11-13-branched alkyl derivatives, calcium salts:

Partition coefficient: n-octanol/water : log Pow: 4.595
Method: Regulation (EC) No. 440/2008, Annex, A.8

2-Ethylhexan-1-ol:

Partition coefficient: n-octanol/water : log Pow: 2.9

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.
Do not dispose of waste into sewer.

Contaminated packaging : Follow advice on product label and/or leaflet.
Empty containers retain residue and can be dangerous.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**International Regulations**

UNRTDG

**K-OBIOL EC COMBI SYNERGISED GRAIN
PROTECTANT**

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2023
1.1	06.11.2024	11281912-00002	Date of first issue: 23.10.2023

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Deltamethrin, 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO))
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Deltamethrin, 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO))
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Deltamethrin, 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO))
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**ADG**

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Deltamethrin, 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO))
Class : 9
Packing group : III
Labels : 9
Hazchem Code : •3Z
Environmentally hazardous : yes

**K-OBIOL EC COMBI SYNERGISED GRAIN
PROTECTANT**

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2023
1.1	06.11.2024	11281912-00002	Date of first issue: 23.10.2023

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Therapeutic Goods (Poisons Standard) Instrument : Schedule 6 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

Product Type : Insecticides, acaricides and products to control other arthropods

Active substance : 50 g/l
Deltamethrin

400 g/l
2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO)

SECTION 16: ANY OTHER RELEVANT INFORMATION**Further information**

Revision Date : 06.11.2024

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA : 8-hour, time-weighted average
AU OEL / TWA : Exposure standard - time weighted average

**K-OBIOL EC COMBI SYNERGISED GRAIN
PROTECTANT**

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2023
1.1	06.11.2024	11281912-00002	Date of first issue: 23.10.2023

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN