

Safety Data Sheet

Maxforce® Activ Cockroach Gel

Version 1 / AUS
102000027617

1/11
Revision Date: 10.09.2024
Print Date: 10.09.2024

SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Trade name Maxforce® Activ Cockroach Gel
Product code (UVP) 80915004

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

1.3 Details of the supplier of the safety data sheet

Supplier 2022 Environmental Science AU Pty Ltd
ABN 49 656 513 923
Suite 2.06, Level 2, 737 Burwood Rd
Hawthorn East 3123
Victoria
Australia
Telephone (03) 7019 3839

1.4 Emergency telephone no.

Emergency telephone no. +61 2 9037 2994 (24h)

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Australian GHS Regulation

Specific target organ toxicity - single exposure: Category 2
H371 May cause damage to organs (Nervous system).

Chronic aquatic toxicity: Category 1
H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Hazardous components which must be listed on the label:

Clothianidin

Signal word: Warning

Hazard statements

H371 May cause damage to organs (Nervous system).
H410 Very toxic to aquatic life with long lasting effects.

Safety Data Sheet

Maxforce® Activ Cockroach Gel

Version 1 / AUS
102000027617

1/11
Revision Date: 10.09.2024
Print Date: 10.09.2024

Precautionary statements

P260 Do not breathe dust.
P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No additional hazards known beside those mentioned.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

Clothianidin 1%
Bait (ready for use) (RB)

Chemical name	CAS-No.	Concentration [%]
Clothianidin	210880-92-5	1.00
1,2-Benzisothiazol-3(2H)-one	2634-33-5	> 0.005 - < 0.05
reaction mass of 5-chloro-2- methyl-2H- isothiazol-3-one and 2-methyl-2H-isothiazol- 3- one (3:1)	55965-84-9	> 0.0002 - < 0.0015
Glycerine	56-81-5	> 1.00
Sucrose	57-50-1	> 1.00
Other ingredients (non-hazardous) to 100%		

SECTION 4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.

4.1 Description of first aid measures

General advice The nature of this product, when contained in commercial packs, makes spillage unlikely. However, if significant amounts are spilled nevertheless, the following advice is applicable. Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.

Skin contact Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.

Safety Data Sheet

Maxforce® Activ Cockroach Gel

Version 1 / AUS
102000027617

1/11

Revision Date: 10.09.2024
Print Date: 10.09.2024

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

SECTION 5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable High volume water jet

5.2 Special hazards arising from the substance or mixture In the event of fire the following may be released: Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Sulphur oxides, Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Further information Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth.

Hazchem Code •3Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

Safety Data Sheet

Maxforce® Activ Cockroach Gel

Version 1 / AUS
102000027617

1/11
Revision Date: 10.09.2024
Print Date: 10.09.2024

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling	No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Use only in area provided with appropriate exhaust ventilation. Handle and open container in a manner as to prevent spillage.
Hygiene measures	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from frost.
Advice on common storage	Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Clothianidin	210880-92-5	2.8 mg/m ³ (TWA)		OES BCS*
Glycerine (Inhalable mist.)	56-81-5	10 mg/m ³ (TWA)	12 2011	AU NOEL
Sucrose (Inhalable dust.)	57-50-1	10 mg/m ³ (TWA)	12 2011	AU NOEL

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Respiratory protection	Respiratory protection is not required under anticipated circumstances of exposure. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.
Hand protection	Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Safety Data Sheet

Maxforce® Activ Cockroach Gel

Version 1 / AUS
102000027617

1/11

Revision Date: 10.09.2024
Print Date: 10.09.2024

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

Eye protection Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection Wear standard coveralls and Category 3 Type 6 suit.
If there is a risk of significant exposure, consider a higher protective type suit.
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

General protective measures In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the above mentioned recommendations would apply.

Engineering Controls

Advice on safe handling No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice.

Engineering Controls

Use only in area provided with appropriate exhaust ventilation. Handle and open container in a manner as to prevent spillage.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	gel
Colour	white to beige
Odour	weak, characteristic
Odour Threshold	No data available
pH	4.7 - 5.2 (1 %) (23 °C) (CIPAC D water (342ppm))
Melting point/range	No data available
Boiling Point	No data available
Flash point	98 - 101 °C No flash point - Determination conducted up to the boiling point.
Flammability	No data available
Auto-ignition temperature	465 °C
Thermal decomposition	No data available

Safety Data Sheet

Maxforce® Activ Cockroach Gel

Version 1 / AUS
102000027617

1/11

Revision Date: 10.09.2024
Print Date: 10.09.2024

Minimum ignition energy	No data available
Self-accelarating decomposition temperature (SADT)	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapour pressure	No data available
Evaporation rate	No data available
Relative vapour density	No data available
Relative density	No data available
Density	ca. 1.10 g/cm ³ (20 °C)
Water solubility	No data available
Partition coefficient: n-octanol/water	Clothianidin: log Pow: 0.9
Viscosity, dynamic	No data available
Viscosity, kinematic	No data available
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

Safety Data Sheet

Maxforce® Activ Cockroach Gel

Version 1 / AUS
102000027617

1/11

Revision Date: 10.09.2024
Print Date: 10.09.2024

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 5,000 mg/kg

Acute inhalation toxicity

During intended and foreseen applications, no respirable aerosol is formed.

Acute dermal toxicity LD50 (Rat) > 5,000 mg/kg

Skin corrosion/irritation No skin irritation (Rabbit)

Serious eye damage/eye irritation Slight irritant effect - does not require labelling. (Rabbit)

Respiratory or skin sensitisation Skin: Non-sensitizing. (Mouse)
OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment mutagenicity

Clothianidin was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Clothianidin was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Clothianidin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Clothianidin is related to parental toxicity. Clothianidin: Suspected of damaging fertility.

Assessment developmental toxicity

Clothianidin did not cause developmental toxicity in rats.
Clothianidin caused developmental toxicity in rabbits only at dose levels toxic to the dams. The developmental effects seen with Clothianidin are related to maternal toxicity.

Assessment STOT Specific target organ toxicity – single exposure

Clothianidin: Causes damage to organs (Nervous system)

Assessment STOT Specific target organ toxicity – repeated exposure

Clothianidin did not cause specific target organ toxicity in experimental animal studies.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Keep exposed gel away from open food and food contact surfaces.
Eye contact, Skin contact, Ingestion

Early onset symptoms related to exposure

Refer to Section 4

Delayed health effects from exposure

Refer to Section 11

Safety Data Sheet

Maxforce® Activ Cockroach Gel

Version 1 / AUS
102000027617

1/11
Revision Date: 10.09.2024
Print Date: 10.09.2024

Exposure levels and health effects

Refer to Section 4

Interactive effects

Not known

When specific chemical data is not available

Not applicable

Mixture of chemicals

Refer to Section 2.1

Further information

No further toxicological information is available.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) > 104.2 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient clothianidin.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) > 40 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient clothianidin.
EC50 (Chironomus riparius (non-biting midge)) 0.029 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient clothianidin.

Chronic toxicity to aquatic invertebrates

NOEC (Daphnia (water flea)): 0.12 mg/l
Exposure time: 21 d
The value mentioned relates to the active ingredient clothianidin.
EC15 (Chironomus riparius (non-biting midge)): 0.00072 mg/l
Exposure time: 28 d
The value mentioned relates to the active ingredient clothianidin.

Toxicity to aquatic plants

EC50 (Raphidocelis subcapitata (freshwater green alga)) > 120 mg/l
Growth rate; Exposure time: 72 h
The value mentioned relates to the active ingredient clothianidin.
EC50 (Lemna gibba (gibbous duckweed)) > 121 mg/l
Exposure time: 14 d
The value mentioned relates to the active ingredient clothianidin.

12.2 Persistence and degradability

Biodegradability

Clothianidin:
Not rapidly biodegradable

Koc

Clothianidin: Koc: 84 - 345

12.3 Bioaccumulative potential

Bioaccumulation

Clothianidin:
Does not bioaccumulate.

12.4 Mobility in soil

Safety Data Sheet

Maxforce® Activ Cockroach Gel

Version 1 / AUS
102000027617

1/11
Revision Date: 10.09.2024
Print Date: 10.09.2024

Mobility in soil Clothianidin: Moderately mobile in soils

12.5 Other adverse effects

Additional ecological information No other effects to be mentioned.

SECTION 13. DISPOSAL CONSIDERATIONS

Dispose of empty container by wrapping in paper, placing in plastic bag and putting in the garbage. DO NOT burn empty containers or product.

SECTION 14. TRANSPORT INFORMATION

ADG

UN number	3082
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CLOTHIANIDIN SOLUTION)
Hazchem Code	•3Z

AU01: Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to this Code when transported by road or rail in;

- a) packagings that do not incorporate a receptacle exceeding 500 kg(L); or
- b) IBCs

IMDG

UN number	3082
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Marine pollutant	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CLOTHIANIDIN SOLUTION)

IATA

UN number	3082
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Environm. Hazardous Mark	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CLOTHIANIDIN SOLUTION)

Safety Data Sheet

Maxforce® Activ Cockroach Gel

Version 1 / AUS
102000027617

10/11

Revision Date: 10.09.2024
Print Date: 10.09.2024

SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994

Australian Pesticides and Veterinary Medicines Authority approval number: 81040

SUSMP classification (Poison Schedule)

Exempt (Standard for the Uniform Scheduling of Medicines and Poisons)

SECTION 16. OTHER INFORMATION

Trademark information Maxforce® is a Registered Trademark.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
AU OEL	Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)
CAS-Nr.	Chemical Abstracts Service number
CEILING	Ceiling Limit Value
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
OES BCS	OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"
PEAK	PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SK-SEN	Skin sensitiser
SKIN_DES	SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.

Safety Data Sheet

Maxforce® Activ Cockroach Gel

Version 1 / AUS
102000027617

10/11

Revision Date: 10.09.2024
Print Date: 10.09.2024

STEL	STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.
TWA	TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.