

Main Panel

**ECOTOXIC  
READ LABEL BEFORE USE  
KEEP OUT OF REACH OF CHILDREN**

# **Maxforce<sup>®</sup> Fusion**

## **COCKROACH GEL**

**ACTIVE INGREDIENT: 21.5 g/kg IMIDACLOPRID  
in the form of a ready to use gel**

**Net contents 30 g**

For the control of cockroaches in the situations specified in the Directions for Use.

**APPROVED PURSUANT TO THE HSNO ACT 1996, No. HSR000676**

See [www.epa.govt.nz](http://www.epa.govt.nz) for approval controls.

MPI Approved Type D (All animal products except dairy)

MPI approved for use in farm dairies and recognised for use in dairy processing



## Side Panels

### HAZARD CLASSIFICATIONS:

Specific target organ toxicity, repeated exposure Category 2, Hazardous to the aquatic environment, acute Category 1, Hazardous to the aquatic environment, chronic Category 1. Hazardous to soil organisms, Hazardous to terrestrial vertebrates, Hazardous to terrestrial invertebrates.

### TOXICITY

May cause organ damage through prolonged or repeated oral exposure.

### ECOTOXICITY

Very toxic to aquatic life with long lasting effects.

Harmful to the soil environment.

Harmful to terrestrial vertebrates.

Very toxic to terrestrial invertebrates.

Take all reasonable steps to ensure that this product does not cause any significant adverse effects to the environment beyond the application area. Do not apply directly into or onto water.

### SAFETY DIRECTIONS

Will irritate the eyes. Avoid contact with eyes. Wash hands after use.

### STORAGE

The syringe must not be sold separately. Do not destroy carton while product still remains. Keep out of reach of children. Do not store in direct sunlight. Store in the closed, original carton, in a cool dry place. Completely empty syringe in normal use. Dispose of empty syringe and carton by wrapping in paper, placing in plastic bag and putting in garbage.

When stored appropriately this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for further information about the use of product which is older than this.

**SPILLS AND DISPOSAL** When dealing with spills wear gloves. Absorb with an inert absorbent material then transfer into bag or container can be sealed. Deal with all spillages immediately.

*Product Disposal:* Dispose of this product only by using according to the label or at an approved landfill. Avoid contamination of any water supply with product or empty container.

*Container Disposal:* Wrap empty syringe and dispose of in rubbish collection.

### EMERGENCY RESPONSE

For specialist advice in an emergency call **0800 425 459** (24 hours).

### FIRST AID

For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. Have product label or container at hand.

**It is an offence to use this product on animals.**

### INSECTICIDE RESISTANCE WARNING

GROUP	4A	INSECTICIDE
-------	----	-------------

For insecticide resistance management, Maxforce Fusion Cockroach Gel is a Group 4A insecticide. Some naturally occurring insect biotypes resistant to Maxforce Fusion and other Group 4A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Maxforce Fusion or other Group 4A insecticides are used repeatedly. The effectiveness of Maxforce Fusion on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, 2022 Environmental Science AU Pty Ltd accepts no liability for any losses that may result from the failure of Maxforce Fusion to control resistant insects. Maxforce Fusion may be subject to specific resistance management strategies. For further information contact your local supplier.

## DIRECTIONS FOR USE

Situations	Pest	Rate	Critical Comments
Barracks, farm buildings, food processing establishments, factories, homes, hospitals, meatworks (non- product areas), offices, restaurants, schools, shops, storerooms, transport vehicles (including aircrafts) & facilities	<u>Small cockroaches</u> e.g. German Cockroach ( <i>Blattella germanica</i> )	<u>Light infestations</u> 1 placement per m <sup>2</sup>  <u>Heavy infestations</u> 2 placements per m <sup>2</sup>  1 placement = a 5 mm ball (about the size of a small pea or approx. 0.1 g) or a line about 2.5 cm long	Apply gel in out of the way locations where cockroaches occur e.g., under fridges, near water heaters, behind microwave ovens, garbage bins etc. Re-assessment of treated areas one month after initial baiting is recommended to evaluate if additional baiting is required. Bait placements should be replenished when consumed or at least every three months as long as pest populations persist.
	<u>Large cockroaches</u> e.g. American Cockroach and Australian Cockroach ( <i>Periplaneta</i> spp.)	<u>Light infestations</u> 2 placements per m <sup>2</sup>  <u>Heavy infestations</u> 3 placements per m <sup>2</sup>	<i>Periplaneta</i> spp. require more bait because of the quantity which can be consumed by a single cockroach. Reassess baiting effectiveness as above.

## GENERAL INSTRUCTIONS

Apply this product using a suitable application device. Gel should be applied out of reach of children, pets and other animals. Do not place gel on surfaces which are regularly washed.

## PRECAUTIONS

Do not allow to contact food, livestock feed or their water. Do not place gel on surfaces where food is prepared or on utensils that are used for food preparation, on food packing materials or on surfaces where food packing materials are stored.

## SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet.

## RECORD KEEPING

Records of use, as described in the current version of NZS 8409 Management of Agrichemicals, must be kept if more than 3 kg is applied or discharged within 24 hours in a place where the substance is likely to enter air or water and leave the place.

## CONDITIONS OF SUPPLY

**READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE RETURN AT ONCE UNOPENED.**

To the extent permitted by law 2022 Environmental Science AU Pty Ltd does not accept any liability or responsibility whatsoever for any loss, damage or injury whether direct, indirect or consequential howsoever arising in connection with these goods, including without limitation their storage, application, handling or use. 2022 Environmental Science AU Pty Ltd does not make any warranties (express or implied) with respect to fitness for purpose, merchantable quality or any other matter. To the extent only that 2022 Environmental Science AU Pty Ltd is prevented by law from contracting out of the Consumer Guarantees Act then these conditions apply subject to that Act. The Act shall not apply where these goods are acquired for business purposes.

Envu, the Envu logo and Maxforce® are trademarks owned by Environmental Science U.S. LLC or one of its affiliates.

©2023 Environmental Science U.S. LLC.

2022 ENVIRONMENTAL SCIENCE AU PTY LTD  
ABN 49 656 513 923  
Suite 2.06, Level 2, 737 Burwood Rd  
Hawthorn East, Vic, Australia 3123  
Telephone: 03 7019 3839  
Technical Enquiries: 1800 024 209  
technicalsupport.australia@envu.com  
Website: www.au.envu.com

Distributed by Garrards (NZ) Ltd.  
Unit 4/27B Cain Road,  
Penrose,  
New Zealand  
Telephone (09) 526 5232  
www.garrards.co.nz

Batch No.  
Date of Manufacture

**EMERGENCY RESPONSE**

**For specialist advice in an emergency call +64 9801 0034 or 0800 425 459 toll free.**

The toll free phone number is possibly accessible, but not guaranteed from payphones within New Zealand and is not accessible from outside of New Zealand.

DG Information  
UN Number 3077  
Class 9  
Packaging group III  
Description: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IMIDACLOPRID MIXTURE)  
Hazchem Code 2Z

Syringe label

**READ LABEL BEFORE USE  
KEEP OUT OF REACH OF CHILDREN**

# Maxforce<sup>®</sup> Fusion

## COCKROACH GEL

**ACTIVE INGREDIENT: 21.5 g/kg IMIDACLOPRID  
in the form of a ready to use bait**

**30 g NET**

For the control of cockroaches in the situations specified in the Directions for Use.

**APPROVED PURSUANT TO THE HSNO ACT 1996, No. HSR000676**

See [www.epa.govt.nz](http://www.epa.govt.nz) for approval controls.

MPI Approved Type D (All animal products except dairy)

MPI approved for use in farm dairies and recognised for use in dairy processing

Before using product read directions on the outer pack. Sale of this syringe except in outer carton is illegal. DO NOT destroy carton while product still remains.

### **HAZARD CLASSIFICATIONS:**

Specific target organ toxicity, repeated exposure Category 2, Hazardous to the aquatic environment, acute Category 1, Hazardous to the aquatic environment, chronic Category 1. Hazardous to soil organisms, Hazardous to terrestrial vertebrates, Hazardous to terrestrial invertebrates.

### **TOXICITY**

May cause organ damage through prolonged or repeated oral exposure.

### **ECOTOXICITY**

Very toxic to aquatic life with long lasting effects.

Harmful to the soil environment.

Harmful to terrestrial vertebrates.

Very toxic to terrestrial invertebrates.

Take all reasonable steps to ensure that this product does not cause any significant adverse effects to the environment beyond the application area. Do not apply directly into or onto water.

**SAFETY DIRECTIONS**

Will irritate the eyes. Avoid contact with eyes. Wash hands after use.

**STORAGE**

The syringe must not be sold separately. Do not destroy carton while product still remains. Keep out of reach of children. Do not store in direct sunlight. Store in the closed, original carton, in a cool dry place. Completely empty syringe in normal use. Dispose of empty syringe and carton by wrapping in paper, placing in plastic bag and putting in garbage.

When stored appropriately this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for further information about the use of product which is older than this.

**SPILLS AND DISPOSAL** When dealing with spills wear gloves. Absorb with an inert absorbent material then transfer into bag or container can be sealed. Deal with all spillages immediately.

*Product Disposal:* Dispose of this product only by using according to the label or at an approved landfill. Avoid contamination of any water supply with product or empty container.

*Container Disposal:* Wrap empty syringe and dispose of in rubbish collection.

**EMERGENCY RESPONSE**

For specialist advice in an emergency call **0800 425 459** (24 hours).

Distributed by Garrards (NZ) Ltd., Telephone (09) 526 5232.