

**MAXFORCE QUANTUM LIQUID ANT BAIT**

Version 4.1      Revision Date: 03.04.2024      SDS Number: 11177438-00008      Date of last issue: 20.10.2023  
Date of first issue: 06.03.2023

---

**SECTION 1: IDENTIFICATION**

Product name : MAXFORCE QUANTUM LIQUID ANT BAIT  
Product code : Article/SKU: 85842951 UVP: 79212690 Specification: 102000018213

**Manufacturer or supplier's details**

Company : 2022 Environmental Science AU Pty Ltd  
ABN 49 656 513 923  
Address : Suite 2.06, Level 2, 737 Burwood Road  
Hawthorn East, Australia 3123  
Telephone : (03) 7019 3839  
Emergency telephone number : +61 2 9037 2994

**Recommended use of the chemical and restrictions on use**

Recommended use : Insecticide  
Restrictions on use : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Not a hazardous substance or mixture.

**GHS label elements**

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

**Other hazards which do not result in classification**

None known.

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture  
Chemical nature : Bait (ready for use) (RB)

**Components**

| Chemical name | CAS-No. | Concentration (% w/w) |
|---------------|---------|-----------------------|
| Sucrose       | 57-50-1 | >= 60 -<= 100         |

## MAXFORCE QUANTUM LIQUID ANT BAIT

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 20.10.2023  |
| 4.1     | 03.04.2024     | 11177438-00008 | Date of first issue: 06.03.2023 |

---

### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : Wash with water and soap as a precaution.  
Get medical attention if symptoms occur.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : If large amounts are ingested, the following symptoms may occur:  
Nausea  
Abdominal pain  
Dizziness  
Symptoms and hazards refer to effects observed after intake of significant amounts of the active ingredient(s).  
Due to its low concentration intake of a hazardous amount of active ingredient from this formulation is unlikely.  
This product contains a nicotinoid.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically.  
There is no specific antidote available.  
In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours.  
However, the application of activated charcoal and sodium sulphate is always advisable.  
Monitor: respiratory and cardiac functions.  
Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing : High volume water jet

## MAXFORCE QUANTUM LIQUID ANT BAIT

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 20.10.2023  |
| 4.1     | 03.04.2024     | 11177438-00008 | Date of first issue: 06.03.2023 |

---

media

- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- Hazchem Code : 2Z

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Avoid breathing vapours.  
Do not swallow.  
Avoid contact with eyes.

## MAXFORCE QUANTUM LIQUID ANT BAIT

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 20.10.2023  |
| 4.1     | 03.04.2024     | 11177438-00008 | Date of first issue: 06.03.2023 |

Avoid prolonged or repeated contact with skin.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Take care to prevent spills, waste and minimize release to the environment.

- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
 When using do not eat, drink or smoke.  
 Wash contaminated clothing before re-use.
- Conditions for safe storage : Keep in properly labelled containers.  
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

| Components | CAS-No. | Value type<br>(Form of exposure) | Control parameters / Permissible concentration | Basis  |
|------------|---------|----------------------------------|--|--------|
| Sucrose    | 57-50-1 | TWA                              | 10 mg/m <sup>3</sup>                           | AU OEL |
|            |         | TWA                              | 10 mg/m <sup>3</sup>                           | ACGIH  |

- Engineering measures** : Ensure adequate ventilation, especially in confined areas.  
 Minimize workplace exposure concentrations.

## Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

## Hand protection

- Material : Nitrile rubber  
 Break through time : 480 min  
 Glove thickness : 0.4 mm

- Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.

**MAXFORCE QUANTUM LIQUID ANT BAIT**

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 20.10.2023  |
| 4.1     | 03.04.2024     | 11177438-00008 | Date of first issue: 06.03.2023 |

---

er. Wash hands before breaks and at the end of workday. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Eye protection : Wear the following personal protective equipment:  
Safety glasses

Skin and body protection : Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : gel

Colour : colourless, light yellow

Odour : characteristic, very faint

Odour Threshold : No data available

pH : 4 - 6 (23 °C)  
Concentration: 10 %

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : > 100.00 °C

Evaporation rate : Not applicable

Flammability (solid, gas) : Not classified as a flammability hazard

Self-ignition : 380 °C  
Method: Tested according to Directive 92/69/EEC.

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

---

## MAXFORCE QUANTUM LIQUID ANT BAIT

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 20.10.2023  |
| 4.1     | 03.04.2024     | 11177438-00008 | Date of first issue: 06.03.2023 |

---

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Density : 1.43 g/cm<sup>3</sup> (20.00 °C)

Solubility(ies)  
Water solubility : soluble

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : 175 °C  
Heating rate: 3 K/min  
(for a component of this mixture)  
exothermic

Viscosity  
Viscosity, dynamic : >= 5,400 mPa.s ( 20 °C)

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive  
Method: OECD Test Guideline 113

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Minimum ignition energy : Not applicable

Particle characteristics  
Particle size : No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

## MAXFORCE QUANTUM LIQUID ANT BAIT

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 20.10.2023  |
| 4.1     | 03.04.2024     | 11177438-00008 | Date of first issue: 06.03.2023 |

---

products

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Exposure routes : Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : LD50 (Rat): > 2,500 mg/kg  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: Based on data from similar materials

**Components:****Sucrose:**

Acute oral toxicity : LD50 (Rat): 29,700 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Product:**

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Serious eye damage/eye irritation**

Not classified based on available information.

**Product:**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Product:**

Test Type : Magnusson-Kligman-Test  
Exposure routes : Skin contact

**MAXFORCE QUANTUM LIQUID ANT BAIT**

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 20.10.2023  |
| 4.1     | 03.04.2024     | 11177438-00008 | Date of first issue: 06.03.2023 |

---

Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

**Chronic toxicity****Germ cell mutagenicity**

Not classified based on available information.

**Components:****Sucrose:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 211 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 85 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

EC50 (Chironomus riparius (harlequin fly)): 0.552 mg/l  
Exposure time: 24 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

EC50: 0.001020 mg/l  
Exposure time: 96 h



## MAXFORCE QUANTUM LIQUID ANT BAIT

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 20.10.2023  |
| 4.1     | 03.04.2024     | 11177438-00008 | Date of first issue: 06.03.2023 |

---

Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 10 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Chironomus riparius (harlequin fly)): 0.87 µg/l  
Exposure time: 28 d  
Remarks: Based on data from similar materials

EC10: 0.024 µg/l  
Exposure time: 28 d  
Remarks: Based on data from similar materials

**Persistence and degradability**

No data available

**Bioaccumulative potential****Components:****Sucrose:**

Partition coefficient: n-octanol/water : Pow: < 1

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.  
Do not dispose of waste into sewer.

Contaminated packaging : Follow advice on product label and/or leaflet.  
Empty containers retain residue and can be dangerous.  
Do not re-use empty containers.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations**

**UNRTDG**

## MAXFORCE QUANTUM LIQUID ANT BAIT

Version 4.1      Revision Date: 03.04.2024      SDS Number: 11177438-00008      Date of last issue: 20.10.2023  
Date of first issue: 06.03.2023

---

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Imidacloprid)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

**IATA-DGR**

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Imidacloprid)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

**IMDG-Code**

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Imidacloprid)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****ADG**

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Imidacloprid)  
Class : 9  
Packing group : III  
Labels : 9  
Hazchem Code : 2Z  
Environmentally hazardous : yes

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## MAXFORCE QUANTUM LIQUID ANT BAIT

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 20.10.2023  |
| 4.1     | 03.04.2024     | 11177438-00008 | Date of first issue: 06.03.2023 |

---

## SECTION 15. REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Therapeutic Goods (Poisons Standard) Instrument : No poison schedule number allocated (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

Product Type : Insecticides, acaricides and products to control other arthropods

Active substance : 0.03 %  
Imidacloprid

---

## SECTION 16: ANY OTHER RELEVANT INFORMATION

**Further information**

Revision Date : 03.04.2024

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA : 8-hour, time-weighted average  
AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemi-

## MAXFORCE QUANTUM LIQUID ANT BAIT

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 20.10.2023  |
| 4.1     | 03.04.2024     | 11177438-00008 | Date of first issue: 06.03.2023 |

---

cal Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN