

SAFETY DATA SHEET



SIGNATURE™ XTRA STRESSGARD®

Version 1.0 / CDN
102000029598

1/11
Revision Date: 09/29/2017
Print Date: 10/02/2017

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name SIGNATURE™ XTRA STRESSGARD®
Product code (UVP) 81691088
SDS Number 102000029598
PCP Registration No. 32800

Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide
Restrictions on use See product label for restrictions.

Information on supplier

Supplier Bayer CropScience Inc
#200, 160 Quarry Park Blvd, SE
Calgary, Alberta T2C 3G3
Canada
Responsible Department Email: SDSINFO.BCS-NA@bayer.com
Emergency telephone no.
Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577
Product Information Telephone Number 1-888-283-6847

SECTION 2: HAZARDS IDENTIFICATION

Classified in accordance with Part 2 of the Hazardous Products Regulations

Carcinogenicity(Inhalation): Category 1B
Eye irritation: Category 2B

Labelling in accordance with Part 3 of the Hazardous Products Regulations



Signal word: Danger

Hazard statements

May cause cancer by inhalation.
Causes eye irritation.

Precautionary statements

Wear protective gloves/ protective clothing/ eye protection/ face protection.

SAFETY DATA SHEET



SIGNATURE™ XTRA STRESSGARD®

Version 1.0 / CDN
102000029598

2/11
Revision Date: 09/29/2017
Print Date: 10/02/2017

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wash thoroughly after handling.
IF exposed or concerned: Get medical advice/ attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/ attention.
Store locked up.
Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.
No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Fosetyl-Aluminium	39148-24-8	60.0
Sodium diisopropyl-naphthalene sulphonate	1322-93-6	6.54
Formic acid	64-18-6	2.0
Crystalline quartz (respirable)	14808-60-7	0.35

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

SAFETY DATA SHEET



SIGNATURE™ XTRA STRESSGARD®

Version 1.0 / CDN
102000029598

3/11
Revision Date: 09/29/2017
Print Date: 10/02/2017

Symptoms The following symptoms may occur:, Skin, eye and mucous membrane irritation

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable High volume water jet

Special hazards arising from the substance or mixture In the event of fire the following may be released:, Carbon monoxide (CO), Nitrogen oxides (NOx), Oxides of phosphorus

Advice for firefighters

Special protective equipment for firefighters Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

Flash point Not applicable

Auto-ignition temperature No data available

Lower explosion limit Not applicable

Upper explosion limit Not applicable

Explosivity Not explosive
Regulation (EC) No. 440/2008, Annex, A.14

Dust explosion class No data available

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.

SAFETY DATA SHEET



SIGNATURE™ XTRA STRESSGARD®

Version 1.0 / CDN
10200029598

4/11
Revision Date: 09/29/2017
Print Date: 10/02/2017

Additional advice Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only in area provided with appropriate exhaust ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Fosetyl-Aluminium (Respirable.)	39148-24-8	1 mg/m ³ (TWA)	09 2011	CAD BC OEL
Fosetyl-Aluminium (Respirable fraction.)	39148-24-8	1 mg/m ³ (TWA)	03 2011	CAD MB OEL
Fosetyl-Aluminium (Respirable fraction.)	39148-24-8	1 mg/m ³ (TWA)	11 2010	CAD ON OEL
Fosetyl-Aluminium (Dust.)	39148-24-8	10 mg/m ³ (8 HR ACL)	05 2009	CAD SK OEL
Fosetyl-Aluminium (Dust.)	39148-24-8	20 mg/m ³ (15 MIN ACL)	05 2009	CAD SK OEL

SAFETY DATA SHEET



SIGNATURE™ XTRA STRESSGARD®

Version 1.0 / CDN
102000029598

5/11
Revision Date: 09/29/2017
Print Date: 10/02/2017

Fosetyl-Aluminium	39148-24-8	5 mg/m3 (TWA)		OES BCS*
Formic acid	64-18-6	19 mg/m3/10 ppm (STEL)	07 2009	CAD AB OEL
Formic acid	64-18-6	9.4 mg/m3/5 ppm (TWA)	07 2009	CAD AB OEL
Formic acid	64-18-6	10 ppm (STEL)	09 2011	CAD BC OEL
Formic acid	64-18-6	5 ppm (TWA)	09 2011	CAD BC OEL
Formic acid	64-18-6	5 ppm (TWA)	03 2011	CAD MB OEL
Formic acid	64-18-6	10 ppm (STEL)	03 2011	CAD MB OEL
Formic acid	64-18-6	10 ppm (STEL)	11 2010	CAD ON OEL
Formic acid	64-18-6	5 ppm (TWA)	11 2010	CAD ON OEL
Formic acid	64-18-6	5 ppm (8 HR ACL)	05 2009	CAD SK OEL
Formic acid	64-18-6	10 ppm (15 MIN ACL)	05 2009	CAD SK OEL
Formic acid	64-18-6	9.4 mg/m3/5 ppm (TWA)	11 2011	OEL (QUE)
Formic acid	64-18-6	19 mg/m3/10 ppm (STEL)	11 2011	OEL (QUE)
Formic acid	64-18-6	5 ppm (TLV)		OES BCS*
Crystalline quartz (respirable) (Respirable particles.)	14808-60-7	0.025 mg/m3 (TWA)	07 2009	CAD AB OEL
Crystalline quartz (respirable) (Respirable fraction.)	14808-60-7	0.025 mg/m3 (TWA)	09 2011	CAD BC OEL
Crystalline quartz (respirable)	14808-60-7	0.025 mg/m3 (TWA)	03 2011	CAD MB OEL

SAFETY DATA SHEET



SIGNATURE™ XTRA STRESSGARD®

Version 1.0 / CDN
102000029598

6/11
Revision Date: 09/29/2017
Print Date: 10/02/2017

(Respirable fraction.)				
Crystalline quartz (respirable)	14808-60-7	0.10 mg/m ³ (TWA)	06 2015	CAD ON OEL
(Respirable fraction.)				
Crystalline quartz (respirable)	14808-60-7	0.05 mg/m ³ (8 HR ACL)	05 2009	CAD SK OEL
(Respirable fraction.)				
Crystalline quartz (respirable)	14808-60-7	0.1 mg/m ³ (TWA)	11 2011	OEL (QUE)
(Respirable dust.)				

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection

Chemical resistant nitrile rubber gloves

Eye protection

Safety glasses with side-shields

Skin and body protection

Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.
Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	green
Physical State	water-dispersible granules
Odor	slight acid-like
Odour Threshold	No data available
pH	3.15 at 10 % 3.66 at 1 %
Vapor Pressure	No data available
Vapor Density (Air = 1)	No data available
Bulk density	512 - 705 kg/m ³ (loose)
Evaporation rate	Not applicable

SAFETY DATA SHEET



SIGNATURE™ XTRA STRESSGARD®

Version 1.0 / CDN
102000029598

7/11
Revision Date: 09/29/2017
Print Date: 10/02/2017

Boiling Point	Not applicable
Melting / Freezing Point	Not applicable
Water solubility	dispersible
Decomposition temperature	No data available
Viscosity	Not applicable
Flash point	Not applicable
Auto-ignition temperature	No data available
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Explosivity	Not explosive Regulation (EC) No. 440/2008, Annex, A.14
Dust explosion class	No data available
Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity	
Thermal decomposition	No data available
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Exposure to moisture.
Incompatible materials	Strong oxidizing agents, Strong acids, Strong bases
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Eye contact, Skin contact, Ingestion, Inhalation
Immediate Effects	
Eye	Moderate eye irritation may occur.
Ingestion	Harmful if swallowed.

SAFETY DATA SHEET



SIGNATURE™ XTRA STRESSGARD®

Version 1.0 / CDN
102000029598

8/11
Revision Date: 09/29/2017
Print Date: 10/02/2017

Information on toxicological effects

Acute oral toxicity	LD50 (female Rat) 5,000 mg/kg
Acute inhalation toxicity	LC50 (male/female combined Rat) > 5.22 mg/l Exposure time: 4 h
Acute dermal toxicity	LD50 (male/female combined Rat) > 5,000 mg/kg
Skin irritation	No skin irritation (Rabbit)
Eye irritation	Moderate eye irritation. (Rabbit)
Sensitisation	Non-sensitizing. (Guinea pig)

Assessment STOT Specific target organ toxicity – repeated exposure

Fosetyl Aluminium did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Fosetyl Aluminium was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Fosetyl Aluminium was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

Fosetyl-Aluminium	39148-24-8	Group A4
Crystalline quartz (respirable)	14808-60-7	Group A2

NTP

Crystalline quartz (respirable)	14808-60-7
---------------------------------	------------

IARC

Crystalline quartz (respirable)	14808-60-7	Overall evaluation: 1
---------------------------------	------------	-----------------------

OSHA

None.

Assessment toxicity to reproduction

Fosetyl Aluminium did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Fosetyl Aluminium did not cause developmental toxicity in rats and rabbits.

Further information

Acute toxicity studies have been bridged from a similar formulation(s).
The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) > 500 mg/l Exposure time: 96 h
-------------------------	--

SAFETY DATA SHEET



SIGNATURE™ XTRA STRESSGARD®

Version 1.0 / CDN
102000029598

9/11
Revision Date: 09/29/2017
Print Date: 10/02/2017

	The value mentioned relates to the active ingredient fosetyl aluminium.
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) > 1,000 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient fosetyl aluminium.
Toxicity to aquatic plants	ErC50 (Desmodesmus subspicatus (green algae)) 43.5 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient fosetyl aluminium.
Biodegradability	Fosetyl Aluminium: rapidly biodegradable
Koc	Fosetyl Aluminium: Koc: 0.1
Bioaccumulation	Fosetyl Aluminium: Does not bioaccumulate.
Mobility in soil	Fosetyl Aluminium: Highly mobile in soils
Environmental precautions	Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product	Dispose in accordance with all local, state/provincial and federal regulations.
Contaminated packaging	Do not re-use empty containers. Consult state and local regulations regarding the proper disposal of container. Follow advice on product label and/or leaflet.

SECTION 14: TRANSPORT INFORMATION

According to national and international transport regulations this material is not classified as dangerous goods / hazardous material.

SECTION 15: REGULATORY INFORMATION

PCP Registration No. 32800

SAFETY DATA SHEET



SIGNATURE™ XTRA STRESSGARD®

Version 1.0 / CDN
102000029598

10/11
Revision Date: 09/29/2017
Print Date: 10/02/2017

US Federal Regulations

TSCA list

None.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Formic acid	64-18-6	10,000lbs
-------------	---------	-----------

US States Regulatory Reporting

CA Prop65

This product contains a chemical known to the State of California to cause cancer.

Crystalline quartz (respirable)	14808-60-7
---------------------------------	------------

US State Right-To-Know Ingredients

Formic acid	64-18-6	CA, CT, IL, MN, NJ, RI
Crystalline quartz (respirable)	14808-60-7	MN, RI

Canadian Regulations

Canadian Domestic Substance List

Sodium diisopropylnaphthalene sulphonate	1322-93-6
Formic acid	64-18-6
Crystalline quartz (respirable)	14808-60-7

Environmental

CERCLA

Formic acid	64-18-6
-------------	---------

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens

SAFETY DATA SHEET



SIGNATURE™ XTRA STRESSGARD®

Version 1.0 / CDN
102000029598

11/11
Revision Date: 09/29/2017
Print Date: 10/02/2017

OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: New Safety Data Sheet.

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

Revision Date: 09/29/2017

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.