LABSC_6139_F_PacTec
L273xH150mm
CYAN MAGENTA YELLOW BLACK

K-OTHRINE®
Partix

Public Health Insecticide
مبيد آفات صحة عامة

كي – أوثرين بارتكس

يستخدم من قبل فني مختص

Keep out of reach of children — **احفظ بعيداً عن متناول الأطفال**

Composition	: (W/W)	التركيب : (وزن/وزن)
Active Ingredient	: Deltamethrin 2.45%	المادة الفعالة : دلتامثرين 2.45%
Inert Ingredients	: 97.55%	المواد المضافة: 97.55%
Total	: 100%	المجموع : 100%

Country of Origin: Germany — بلد المنشأ: المانيا

WHO Classification: slightly hazardous III — تصنيف منظمة الصحة العالمية: قليل الخطورة III

Toxic Substances

مواد سامة

Net Weight: 1 L — الوزن الصافي: ١ لتر

envu™

Partix Technology

Caution تحذير



Properties:
K-Othrine Partix suspension concentrate is the first product with the new Partix™ formulation technology that gives pest controllers the power to control a broad spectrum of pests on any surface. K-Othrine Partix containing 2.45% Deltamethrin that belongs to the chemical group Pyrethroids, it can be used indoors in domestic, commercial and industrial premises to control crawling insects (including cockroaches and bedbugs), house flies at rest and spiders and for the outdoor control of wasps in free hanging nests.

Uses:

INSECTS	DILUTION RATE	APPLICATION RATE	DURATION OF CONTROL
Cockroaches (American, German)	5 ml of the product in 1L of water	Apply solution at a rate of 50 ml per m^2 to achieve 6.25 mg Deltamethrin/ m^2	Effective up to 12 weeks.
Cockroaches (American, German) Low infestation	2.5 ml of the product in 1L of water	Apply solution at a rate of 50 ml per m^2 to achieve 3.125 mg Deltamethrin/ m^2	Effective up to 6-8 weeks
Bed Bugs	First Treatment: Dilute 10 ml of the product in 1L of water	Apply solution at a rate of 50 ml per m^2 to achieve 12.5 mg Deltamethrin/m^2	Effective up to 12 weeks.
Bed Bugs	Second Treatment: Followed 4 days dilute 5 ml of the product in 1L of water	Apply solution at a rate of 50 ml per m^2 to achieve 6.25 mg Deltamethrin/m^2.	Effective up to 12 weeks.
Spiders	5 ml of the product in 1L of water	Apply solution at a rate of 50 ml per m^2 to achieve 6.25 mg Deltamethrin/ m^2	Effective up to 8 weeks.
House Flies at rest	5 ml of the product in 1L of water	Apply solution at a rate of 50 ml per m^2 to achieve 6.25 mg Deltamethrin/m^2.	Effective up to 6-8 weeks.
Litter beetle			Effective up to 7 weeks
Wasps in nest (hanging under the roof and on the tree)	10 ml of the product in 1L of water	Apply solution at a rate of 200 ml per m^2 to achieve 50 mg Deltamethrin/ nest.	Complete nest elimination is achieved within 1-2 weeks. Perform the treatment once.

Storage:
The pesticide should be stored in its original sealed containers in a cool, dry, well-ventilated place away from foodand feed and out of the reach of children and animals.
How to dispose empty containers and pesticide residue:
Empty containers must not be reused for any purpose. Empty containers and pesticide residues should be disposedof according to applicable local regulations and through licensed companies responsible for disposing of emptycontainers and pesticide residues.
Precautions for handling and use:
1. Follow the instructions written on the information card carefully.
2. Wear protective clothing (apron, mask, gloves, shoes) when mixing or using the pesticide.
3. Avoid application during high temperatures, wind blowing, or rain.
4. Avoid inhaling pesticide fumes.
5. Avoid contact of the pesticide with the skin, eyes or mouth.
6. Do not eat, drink or smoke when using the pesticide.
7. Wash the body and protective clothing well with soap and water after use.
8. Wash and clean spraying devices and machines with water after application.
9. The pesticide causes allergies when it comes into contact with the skin and eyes.
10. A mask must be used when using the pesticide in enclosed spaces.
11. It is not permissible to use the pesticide directly on water tanks or basins designated for drinking, or on toolsdesignated for drinking.
12. The treated area must be ventilated after using the pesticide, and children, pregnant women, and strangersmust be kept away from the treated areas.
13. Do not allow entry to the laboratory area for 4-6 hours and after good ventilation.
14. Do not apply the pesticide near apiaries or fish farming areas, as the pesticide is toxic to bees and fish.
15. Very toxic to aquatic organisms with long-term effects.
First aid:
If swallowed: Do not force the patent to vomit. He should remain in a comfortable position and consult a doctorimmediately while carrying the pesticide container.
If inhaled: Place the patent in the open air away from the place of contamination and see a doctor.
If contact with the skin: remove contaminated clothing and wash the body for at least 15 minutes, knowing thatusing warm water may increase irritation. If swelling, redness, or irritation of the skin occurs, use a cream containingvitamin E. You must consult a doctor immediately.
If contact with eyes, wash well with clean water for 15-20 minutes and see a doctor if necessary.
: sneezing, coughing, causing skin allergies Treatment and antibiotics: If symptoms of Symptoms of poisoningpoisoning appear due to negligence or misuse, a doctor should be consulted immediately.
Treatment should be according to the apparent symptoms, and there is no specific antidote.
In the event of fire:
1. Activate fire systems and inform the relevant authorities of the fire. Remove the ignition source.
2. Contain the fire as much as possible and do not risk extinguishing the fire.
3. After extinguishing, treat the leak.
Guarantee:
The company guarantees the pesticide in its original containers, under appropriate storage conditions, for amaximum of twenty-four months from the date of production. The company does not bear responsibility for anydamages resulting from misapplication, use, or storage.

DPM00001663A - ***ARTICLE D00001105***

Country	Importer	Tel. Number	Registration Number
Qatar	AMC	+974 44680830	
UAE	Technical Agriculture	+97137669126	AUD-AD-140-2347636

Batch No.: انظر على العبوة رقم الدفعة:
Production Date: انظر على العبوة تاريخ الأنتاج:
Expiry Date: ثلاث سنوات من تاريخ الأنتاج تاريخ الأنتهاء:

Supplier:
2022 Environmental Science FR S.A.S
3 place Giovanni Da Verrazzano 69009 Lyon France

الخواص:
كي-أوثرين بارتكس على هيئة مركز معلق، هو أول مبيد من نوعه مجهز بتقنية البارتكس التي تتيح للعاملين في مكافحة آفات الصحة العامة القدرة على مكافحة طيف واسع من آفات الصحة العامة على جميع انواع الأسطح.
يحتوي كي-أوثرين بارتكس على 2.45% من المادة الفعالة دلتامثرين التي تنتمي لمجموعة البايرثرويدات الكيميائية.
ويمكن استخدامه داخلياً في المنشاءات السكنية والتجارية والصناعية لمكافحة الحشرات الزاحفة (مثل الصراصير، بق الفراش) والذباب في اماكن استراحته والعناكب. ويستخدم أيضاً خارجياً لمكافحة الدبابير في اعشاشها المعلقة.

طريقة الأستخدام:

الأفة	معدل التخفيف	معدل الأستخدام	فترة المكافحة
الصراصير (الأمريكي، الألماني)	5 مل من المبيد لكل 1 لتر ماء	استخدم المحلول بمعدل 50 مل / $م^2$ للحصول على 6.25 ملغم دلتامثرين / $م^2$	فعالية تصل الى 12 اسبوع
الصراصير (الأمريكي، الألماني) عند الأصابة الخفيفة	2.5 مل مبيد لكل 1 لتر ماء	استخدم المحلول بمعدل 50 مل / $م^2$ للحصول على 3.125 ملغم دلتامثرين / $م^2$	فعالية تصل الى 6 – 8 اسابيع
بق الفراش	المعاملة الأولى: 10 مل من المبيد لكل 1 لتر ماء	استخدم المحلول بمعدل 50 مل / $م^2$ للحصول على 12.5 ملغم دلتامثرين / $م^2$	فعالية تصل الى 12 اسبوع
بق الفراش	المعاملة الثانية: بعد 4 ايام 5 مل مبيد لكل 1 لتر ماء	استخدم المحلول بمعدل 50 مل / $م^2$ للحصول على 6.25 ملغم دلتامثرين / $م^2$	فعالية تصل الى 12 اسبوع
العناكب	5 مل من المبيد لكل 1 لتر ماء	استخدم المحلول بمعدل 50 مل / $م^2$ للحصول على 6.25 ملغم دلتامثرين / $م^2$	فعالية تصل الى 8 اسبوع
الذباب المنزلي عند استراحته	5 مل من المبيد لكل 1 لتر ماء	استخدم المحلول بمعدل 50 مل / $م^2$ للحصول على 6.25 ملغم دلتامثرين / $م^2$	فعالية تصل الى 6 – 8 اسابيع
خنفساء القرنفة			فعالية تصل الى 7 اسبوع
الدبابير في الأعشاش المعلقة تحت الأسقف وعلى الأشجار	10 مل مبيد لكل 1 لتر ماء	استخدم المحلول بمعدل 200 مل / $م^2$ للحصول على 50 ملغم دلتامثرين / عش	القضاء على العش كامل يكون خلال 1 – 2 اسبوع. طبق المعاملة مرة واحدة

التخزين:
يخزن المبيد في عبواته الأصلية محكمة الإغلاق في مكان بارد وجاف وجيد التهوية بعيدا عن الاطعمة والأعلاف وبعيداً عن متناول الأطفال والحيوانات.
كيفية التخلص من العبوات الفارغة وبقايا المبيد:
يجب عدم اعادة استخدام العبوات الفارغة لأي غرض كان. ويتم التخلص من العبوات الفارغة وبقايا المبيد حسب اللوائح المحلية المتبعة وعبر الشركات المرخصة والمسئولة عن التخلص من العبوات الفارغة وبقايا المبيدات.
إحتياطات التداول والاستخدام:
1. اتبع التعليمات المدونة على بطاقة المعلومات بدقة .
2. لبس الملابس الواقية (مئزر،قناع،قفازات،حذاء) عند خلط او استعمال المبيد
3. تجنب التطبيق اثناء ارتفاع درجات الحرارة او هبوب الرياح او اثناء هطول الأمطار.
4. تجنب استنشاق ابخرة المبيد.
5. تجنب ملامسة المبيد للجلد او العين او الفم.
6. لا تأكل او تشرب او تدخن عند استعمال المبيد.
7. غسل الجسم والملابس الواقية جيدا بالماء والصابون بعد الاستعمال.
8. غسل وتنظيف اجهزة وآلات الرش بالماء بعد التطبيق.
9. المبيد يسبب حساسية عند ملامسته للجلد والعين.
10. يجب استخدام الكمامة عند لستعمال المبيد في الاماكن المغلقة.
11. لا يجوز استخدام المبيد مباشرة على خزانات او احواض المياه المخصصة للشرب، او الادوات المخصصة للشرب.
12. يجب تهوية المكان المعامل عقب استخدام المبيد وابعاد الأطفال والحوامل والاشخاص الغرباء عن الاماكن المعاملة.
13. عدم السماح بدخول المكان المعامل لمدة 4-6 ساعات وبعد التهوية الجيدة.
14. عدم تطبيق المبيد بالقرب من المناحل واماكن تربية الأسماك حيث ان المبيد سام للنحل والأسماك.
15. سام جداً للأحياء المائية مع تأثيرات طويلة الأمد.
الاسعافات الأولية:
عند البلع: لا تجبر المصاب على التقيؤ ويبقى في وضع مريح ومراجعة الطبيب فوراً مع اصطحاب عبوة المبيد.
عند الاستنشاق: وضع المصاب في الهواء الطلق بعيداً عن مكان التلوث ومراجعة الطبيب.
عند ملامسة الجلد: تنزع الملابس الملوثة ويغسل الجسم لمدة 15 دقيقة على الاقل مع العلم ان استخدام الماء الدافئ قد يزيد من التهيج، وفي حالة حدوث تورم او احمرار او تهيج للجلد، استخدم كريم يحتوي على فيتامين (E) ويجب مراجعة الطبيب فوراً.
عند ملامسة العيون الغسل الجيد بالماء النظيف لمدة 15 - 20 دقيقة ومراجعة الطبيب اذا لزم الامر.
اعراض التسمم: عطس، كحة، يسبب حساسية للجلد
العلاج والمضادات:
إذا ظهرت أعراض التسمم بسبب الإهمال او سوء الاستخدام يجب مراجعة الطبيب فورا ، العلاج حسب الأعراض الظاهرية ولا يوجد ترياق محدد.
في حالة نشوب الحرق:
1. تفعيل انظمة الحريق وإبلاغ الجهات المختصة بالحريق.
أبعد مصدر الاشتعال.
2. إحتواء الحريق قدر المستطاع وعدم المخاطرة باطفاء الحريق.
3. بعد الإطفاء قم بمعالجة التسرب.
الضمان:
تضمن الشركة المبيد في عبواته الأصلية وذلك تحت ظروف التخزين المناسبة لمدة أربعة وعشرون شهرا من تاريخ الإنتاج كحد أقصى ولا تتحمل الشركة مسئولية أى أضرار تنتج عن سوء التطبيق أو الاستخدام أو التخزين.

NOT FOR PRINTING