



Cyfluthrin WP 10 (100 g/kg)- Solfac WP 10

Versi 1.0	ion	Revision Date: 06.12.2023		S Number: 08164-00001	Date of last issue: - Date of first issue: 06.12.2023		
1. PF	1. PRODUCT AND COMPANY IDENTIFICATION						
	Product	name	:	Cyfluthrin WP 10	0 (100 g/kg)- Solfac WP 10		
	Product code		:	Article/SKU: D00 102000011639	0000636 UVP: 06359558 Specification:		
	Manufa	cturer or supplier's d	etai	ls			
	Compar	Ŋ	:	2022 ES Discove Zenia Building, 7th Floor, Hirana	ery India Private Limited ndani Circle		
	Address	5	:	Hiranandani Esta Thane (W) - 4006 Maharashtra			
	Telepho	ne	:	+91-22-50023540)		
	Emerge	ncy telephone number	:	000 800 1007 14	1		
	Telefax		:	+91-22-50972774	4		
	Recom	mended use of the ch	nemi	ical and restrictio	ons on use		
	Recom	mended use	:	Insecticide			
	Restrict	ions on use	:	Not applicable			

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification

Effects on or via lactation

Short-term (acute) aquat hazard	ic :	Category 1
Long-term (chronic) aqua hazard	atic :	Category 1

GHS label elements



according to the Globally Harmonized System

Cyfluthrin WP 10 (100 g/kg)- Solfac WP 10

Version 1.0	Revision Date: 06.12.2023		S Number: 308164-00001	Date of last issue: - Date of first issue: 06.12.2023
Hazaro	l pictograms	:	¥2	
Signal	word	:	Warning	
Hazard statements		:		harm to breast-fed children. to aquatic life with long lasting effects.
Precau	itionary statements	:	P260 Do not brea P263 Avoid cont P264 Wash skin P270 Do not eat	ad and follow all safety instructions before use. athe dust. act during pregnancy and while nursing. thoroughly after handling. drink or smoke when using this product. use to the environment.
			Response: P318 IF exposed P391 Collect spil	or concerned, get medical advice. lage.
			Disposal: P501 Dispose of disposal plant.	contents/ container to an approved waste

Other hazards which do not result in classification

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours). Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin. May form explosive dust-air mixture.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixtu

Chemical nature : Wettable powder (WP)

Components

Chemical name	CAS-No.	Concentration (% w/w)
Kaolin	1332-58-7	>= 30 - < 50
Cyfluthrin	68359-37-5	>= 10 - < 20
Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt	102980-04-1	>= 5 - < 10

4. FIRST AID MEASURES

General advice

: In the case of accident or if you feel unwell, seek medical advice immediately.

When symptoms persist or in all cases of doubt seek medical

according to the Globally Harmonized System



Cyfluthrin WP 10 (100 g/kg)- Solfac WP 10

Vers 1.0	sion	Revision Date: 06.12.2023	-	DS Number: 308164-00001	Date of last issue: - Date of first issue: 06.12.2023
				advice.	
	If inhale	ed	:	Get medical atten	tion.
	In case	e of skin contact	:	Wash with water a Get medical atten	•
	In case	of eye contact	:	lf in eyes, rinse we Get medical atten	ell with water. tion if irritation develops and persists.
	If swalle	owed	:	Get medical atten	tion.
	Most important symptoms and effects, both acute and delayed		:	Contact with dust the skin. Dust contact with This product conta	ing should not be confused with carbamate
	Protection of first-aiders		:	and use the recon	ers should pay attention to self-protection, nmended personal protective equipment I for exposure exists (see section 8).
	Notes t	to physician	:	Treat symptomati	cally and supportively.
5. F	IREFIGH	HTING MEASURES			
	Suitable extinguishing media		:	Water spray Alcohol-resistant f Carbon dioxide (C Dry chemical	
	Unsuita media	able extinguishing	:	High volume wate	er jet
	Specific fighting	c hazards during fire-	:	concentrations, ar potential dust exp Do not use a solic fire.	dust; fine dust dispersed in air in sufficient nd in the presence of an ignition source is a losion hazard. I water stream as it may scatter and spread pustion products may be a hazard to health.
	Hazard ucts	ous combustion prod-	:	Silicon oxides Metal oxides Carbon oxides Chlorine compoun Fluorine compoun Nitrogen oxides (N Sulphur oxides	lds
	Specific ods	c extinguishing meth-	:	cumstances and t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers.

according to the Globally Harmonized System




Cyfluthrin WP 10 (100 g/kg)- Solfac WP 10

Vers 1.0	ion	Revision Date: 06.12.2023	-	0S Number: 308164-00001	Date of last issue: - Date of first issue: 06.12.2023	
	Specia for firefi	l protective equipment ghters	:	so. Evacuate area. In the event of fire	ged containers from fire area if it is safe to do e, wear self-contained breathing apparatus. ective equipment.	
6. A	CCIDEN	ITAL RELEASE MEAS	SUR	ES		
Personal precautions, protec- tive equipment and emer- gency procedures		:	Follow safe handli	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).		
Environmental precautions		:	Retain and dispos	akage or spillage if safe to do so. se of contaminated wash water. should be advised if significant spillages		
Methods and materials for containment and cleaning up		:	tainer for disposal Avoid dispersal of with compressed Dust deposits sho es, as these may leased into the att Local or national posal of this mate employed in the of mine which regula Sections 13 and 1	dust in the air (i.e., clearing dust surfaces		
7. H		IG AND STORAGE				
Technical measures		:	causing an explos	precautions, such as electrical grounding		

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling	: Avoid contact during pregnancy and while nursing.
, latter of cale flanding	Do not breathe dust.
	Do not swallow.
	Avoid contact with eyes.
	Avoid prolonged or repeated contact with skin.
	Wash skin thoroughly after handling.
	Handle in accordance with good industrial hygiene and safety
	practice, based on the results of the workplace exposure as-
	sessment
	Minimize dust generation and accumulation.
	Keep container closed when not in use.





Cyfluthrin WP 10 (100 g/kg)- Solfac WP 10

Version 1.0	Revision Date: 06.12.2023		DS Number: 308164-00001	Date of last issue: - Date of first issue: 06.12.2023
			Take precautionar Do not eat, drink	neat and sources of ignition. y measures against static discharges. or smoke when using this product. ent spills, waste and minimize release to the
Cor	nditions for safe storage	:	Keep in properly I Store in accordan	abelled containers. ce with the particular national regulations.
Mat	erials to avoid	:	Do not store with Strong oxidizing a	the following product types: agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Kaolin	1332-58-7	TWA (Res- pirable par- ticulate mat- ter)	2 mg/m3	ACGIH

Engineering measures	:	Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations. Apply measures to prevent dust explosions. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are de- signed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).
----------------------	---	---

Personal protective equipment

Hand protection

Respiratory protection	:	If adequate local exhaust ventilation is not available or expo-
		sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection.

Filter type : Particulates type

Material	:	Nitrile rubber
Break through time	:	> 480 min
Glove thickness	:	> 0.4 mm

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

according to the Globally Harmonized System



Cyfluthrin WP 10 (100 g/kg)- Solfac WP 10

Version 1.0	Revision Date: 06.12.2023	•••	DS Number: 308164-00001	Date of last issue: - Date of first issue: 06.12.2023
Eye p	protection	:	Wear the following Safety goggles	g personal protective equipment:
Skin	and body protection	:	Skin should be wa	ashed after contact.
Hygie	ene measures	:	flushing systems place. When using do no	emical is likely during typical use, provide eye and safety showers close to the working ot eat, drink or smoke. ed clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	white
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Evaporation rate Flammability (solid, gas)	:	Not applicable May form explosive dust-air mixture.
	:	
Flammability (solid, gas) Upper explosion limit / Upper	:	May form explosive dust-air mixture.
Flammability (solid, gas) Upper explosion limit / Upper flammability limit Lower explosion limit / Lower	:	May form explosive dust-air mixture. Not applicable
Flammability (solid, gas) Upper explosion limit / Upper flammability limit Lower explosion limit / Lower flammability limit	:	May form explosive dust-air mixture. Not applicable Not applicable
Flammability (solid, gas) Upper explosion limit / Upper flammability limit Lower explosion limit / Lower flammability limit Vapour pressure	:	May form explosive dust-air mixture. Not applicable Not applicable

according to the Globally Harmonized System



Cyfluthrin WP 10 (100 g/kg)- Solfac WP 10

Version Revision Date: 1.0 06.12.2023	SDS Number: 11308164-00001	Date of last issue: - Date of first issue: 06.12.2023
Solubility(ies) Water solubility Partition coefficient: n-	: dispersible : Not applicable	
octanol/water Auto-ignition temperature Decomposition temperature	Not applicableNo data available	9
Viscosity Viscosity, kinematic Explosive properties	: Not applicable : Not explosive	
Oxidizing properties Minimum ignition energy Particle size	 The substance of > 10 - 30 mJ No data available 	er mixture is not classified as oxidizing.

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	May form explosive dust-air mixture. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes	of	:	
exposure			Skin contact
			Ingestion
			Eye contact


Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity

: Assessment: The substance or mixture has no acute oral toxicity





Cyfluthrin WP 10 (100 g/kg)- Solfac WP 10

sion	Revision Date: 06.12.2023	-	0S Number: 308164-00001	Date of last issue: - Date of first issue: 06.12.2023
Acute	inhalation toxicity	:	Assessment: The tion toxicity	ne substance or mixture has no acute inhal
<u>Comp</u>	oonents:			
Kaoli	n:			
Acute	oral toxicity	:	LD50 (Rat): > 5 Remarks: Base	,000 mg/kg d on data from similar materials
Acute	inhalation toxicity	:	tion toxicity	4 h
Acute	dermal toxicity	:	toxicity	,000 mg/kg ne substance or mixture has no acute derm d on data from similar materials
Cyflu	thrin:			
Acute	oral toxicity	:	Acute toxicity e Method: Expert	stimate: 14 mg/kg judgement
Acute	inhalation toxicity	:	Acute toxicity e Test atmospher Method: Expert	
Acute	dermal toxicity	:	LD50 (Rat): > 5	,000 mg/kg
Benz	enesulfonic acid, hy	droxy	-, polymer with	formaldehyde, phenol and urea, sodiun
Acute	oral toxicity	:	LD50 (Rat): > 5	,000 mg/kg
Acute	dermal toxicity	:	LD50 (Rat): > 2	,000 mg/kg
-	corrosion/irritation			
	assified based on ava ponents:	liable	information.	
Kaoli	n:			
Speci	es	:	Rabbit	
Metho		:	OECD Test Gu	
Resul Rema		:	No skin irritatior Based on data	n from similar materials
Cyflu	thrin:			
Speci Resul		:	Rabbit No skin irritatior	

according to the Globally Harmonized System



Cyfluthrin WP 10 (100 g/kg)- Solfac WP 10

sion	Revision Date: 06.12.2023	SDS Number: 11308164-00001	Date of last issue: - Date of first issue: 06.12.2023
			formaldehyde, phenol and urea, sodium s
Speci Resul		: Rabbit : No skin irritation	2
Resul	t i	. No skirimation	1
Serio	ous eye damage/eye	irritation	
Not cl	lassified based on ava	ailable information.	
<u>Comp</u>	<u>oonents:</u>		
Kaoli	n:		
Speci	es	: Rabbit	
Resul		: No eye irritatior	
Rema	ırks	: Based on data	from similar materials
Cyflu	thrin:		
Speci	es	: Rabbit	
Resul	t	: No eye irritatior	
Rema	ırks	: Based on data	from similar materials
Benz	enesulfonic acid. h	droxy polymer with	formaldehyde, phenol and urea, sodium s
Speci	-	: Rabbit	
Metho		: OECD Test Gu	ideline 405
Resul	t	: Irritation to eye	s, reversing within 21 days
Respi	iratory or skin sensi	tisation	
Skin	sensitisation		
Not cl	lassified based on ava	ailable information.	
Respi	iratory sensitisation		
Not c	lassified based on ava	ailable information.	
<u>Comp</u>	<u>ponents:</u>		
Cyflu	thrin:		
Test 7		: Maximisation T	est
	sure routes	: Skin contact	
Speci		: Guinea pig	
Resul	t	: negative	
Benz	enesulfonic acid, hy	droxy-, polymer with	formaldehyde, phenol and urea, sodium s
Test 7		: Maximisation T	est
Expos	sure routes	: Skin contact	
		: Guinea pig	
Speci		: OECD Test Gu	Ideline 406
		: negative	

Not classified based on available information.

according to the Globally Harmonized System




Cyfluthrin WP 10 (100 g/kg)- Solfac WP 10

	06.12.2023	-	DS Number: 308164-00001	Date of last issue: - Date of first issue: 06.12.2023
Comp	oonents:			
-				
Cyflu			Test Turse Dest	
Geno	toxicity in vitro	:	Result: negative	erial reverse mutation assay (AMES)
			Test Type: Chro Result: negative	mosome aberration test in vitro
Carci	nogenicity			
Not cl	assified based on avai	lable	information.	
<u>Comp</u>	oonents:			
Cyflu	thrin:			
Speci		:	Mouse	
•	cation Route	÷	Ingestion	
	sure time	:	18 Months	
Resul		:	negative	
			5	
Repro May c	oductive toxicity cause harm to breast-fe conents:	ed ch	-	
Repro May o <u>Com</u> p	cause harm to breast-fe	ed ch	-	
Repro May o <u>Comp</u>	cause harm to breast-fe	ed ch :	ildren. Test Type: Two- Species: Rat Application Rout	generation reproduction toxicity study e: Ingestion Test Guideline 416
Repro May c <u>Comp</u> Cyflu Effect	cause harm to breast-fe conents: thrin: s on fertility	:	ildren. Test Type: Two- Species: Rat Application Rout Method: OECD Result: negative	e: Ingestion Test Guideline 416
Repro May o <u>Comp</u> Cyflur Effect	cause harm to breast-fe ponents: thrin:	ed ch : :	ildren. Test Type: Two- Species: Rat Application Rout Method: OECD Result: negative Test Type: Emb	e: Ingestion
Repro May c <u>Comp</u> Cyflu Effect	cause harm to breast-fe conents: thrin: s on fertility	:	ildren. Test Type: Two- Species: Rat Application Rout Method: OECD Result: negative Test Type: Emb Species: Rat	e: Ingestion Test Guideline 416 ryo-foetal development
Repro May o <u>Comp</u> Cyflur Effect	cause harm to breast-fe conents: thrin: s on fertility	:	ildren. Test Type: Two- Species: Rat Application Rout Method: OECD Result: negative Test Type: Emb Species: Rat Application Rout	e: Ingestion Test Guideline 416 ryo-foetal development
Repro May o <u>Comp</u> Cyflur Effect	cause harm to breast-fe conents: thrin: s on fertility	:	ildren. Test Type: Two- Species: Rat Application Rout Method: OECD Result: negative Test Type: Emb Species: Rat Application Rout	e: Ingestion Test Guideline 416 ryo-foetal development e: Ingestion
Repro May o <u>Comp</u> Cyflur Effect	cause harm to breast-fe conents: thrin: s on fertility	:	ildren. Test Type: Two- Species: Rat Application Rout Method: OECD Result: negative Test Type: Emb Species: Rat Application Rout Method: OECD Result: negative	re: Ingestion Test Guideline 416 ryo-foetal development re: Ingestion Test Guideline 414
Repro May o <u>Comp</u> Cyflur Effect	cause harm to breast-fe conents: thrin: s on fertility	:	ildren. Test Type: Two- Species: Rat Application Rout Method: OECD Result: negative Test Type: Emb Species: Rat Application Rout Method: OECD Result: negative	e: Ingestion Test Guideline 416 ryo-foetal development e: Ingestion
Repro May o <u>Comp</u> Cyflur Effect	cause harm to breast-fe conents: thrin: s on fertility	:	ildren. Test Type: Two- Species: Rat Application Rout Method: OECD Result: negative Test Type: Emb Species: Rat Application Rout Method: OECD Result: negative Test Type: Emb Species: Rat Application Rout	re: Ingestion Test Guideline 416 ryo-foetal development re: Ingestion Test Guideline 414

STOT - single exposure

Not classified based on available information.


Product:





Cyfluthrin WP 10 (100 g/kg)- Solfac WP 10

ersion)	Revision Date: 06.12.2023		0S Number: 308164-00001	Date of last issue: - Date of first issue: 06.12.2023
Asses	ssment	:	The substance o organ toxicant, s	r mixture is not classified as specific target ingle exposure.
<u>Comp</u>	<u>oonents:</u>			
Cyflut	thrin:			
Expos	sure routes	:	inhalation (dust/r	nist/fume)
	t Organs	:	Nervous system	
Asses	ssment	:	Causes damage	to organs.
	- repeated exposure			
	lassified based on availa	ble	information.	
-	<u>oonents:</u>			
Cyflu				
Asses	ssment	:	No significant he tions of 100 mg/l	alth effects observed in animals at concentr g bw or less.
Repe	ated dose toxicity			
<u>Comp</u>	oonents:			
Cyflu	thrin:			
Speci		:	Rat, male	
NOAE		:	6.21 mg/kg	
LOAE	:L cation Route	:	18.98 mg/kg Ingestion	
	sure time	:	90 Days	
Acnir	ation toxicity			
-	lassified based on availa	ble	information.	
	OGICAL INFORMATION			
. ECOLO	JOICAL INFORMATION			
Ecoto	oxicity			
Ecoto				
Ecoto	oxicity oonents:			
Ecoto <u>Com</u> r Kaoli Toxici	oxicity oonents:	:		
Ecoto <u>Comp</u> Kaoli	oxicity <u>oonents:</u> n:	:	Exposure time: 3	30 d
Ecoto <u>Com</u> r Kaoli Toxici	oxicity <u>oonents:</u> n:	:	Exposure time: 3	
Ecoto <u>Com</u> r Kaoli Toxici	oxicity oonents: n: ity to fish (Chronic tox-	:	Exposure time: 3	30 d
Ecoto Comp Kaoli Toxici icity)	oxicity oonents: n: ity to fish (Chronic tox-		Exposure time: 3 Species: Oncorh	30 d
Ecoto Comp Kaoli Toxici icity)	oxicity oonents: n: ity to fish (Chronic tox- thrin:		Exposure time: 3 Species: Oncorh	0 d ynchus mykiss (rainbow trout) chus mykiss (rainbow trout)): 0.302 μg/l
Ecoto Comp Kaoli Toxici icity) Cyflut Toxici	oxicity ponents: n: ity to fish (Chronic tox- thrin: ity to fish	:	Exposure time: 3 Species: Oncorh LC50 (Oncorhyn Exposure time: 9	0 d ynchus mykiss (rainbow trout) chus mykiss (rainbow trout)): 0.302 μg/l





Cyfluthrin WP 10 (100 g/kg)- Solfac WP 10

ersion 0	Revision Date: 06.12.2023		0S Number: 308164-00001	Date of last issue: - Date of first issue: 06.12.2023			
M-Fa icity)	ctor (Acute aquatic tox-	:	1,000,000				
M-Factor (Chronic aquatic toxicity)			: 1,000,000				
Benz salt:	enesulfonic acid, hydro	oxy	-, polymer with	formaldehyde, phenol and urea, sodium			
Toxicity to fish		:	Exposure time:	nchus mykiss (rainbow trout)): > 10 - 100 mg 96 h Test Guideline 203			
	istence and degradabil ata available	ity					
Bioa	ccumulative potential						
<u>Com</u>	ponents:						
Cyflu	ıthrin:						
Bioad	ccumulation	:	Bioconcentratio	nis macrochirus (Bluegill sunfish) n factor (BCF): 1,822 Test Guideline 305			
	tion coefficient: n- nol/water	:	log Pow: 5.9 - 6	3			
	i lity in soil ata available						
	r adverse effects ata available						
. DISPO	OSAL CONSIDERATION	S					
Dien	osal mothods						
-	osal methods te from residues	:	directions. If it i please follow c guidelines.	all of the product in accordance with label s necessary to dispose of unused product, ontainer label instructions and applicable loca of waste into sewer.			
Conta	aminated packaging	:	Empty containe	on product label and/or leaflet. ers retain residue and can be dangerous. empty containers.			

International Regulations

UNRTDG

according to the Globally Harmonized System



Cyfluthrin WP 10 (100 g/kg)- Solfac WP 10

Version 1.0	Revision Date: 06.12.2023		0S Number: 308164-00001	Date of last issue: - Date of first issue: 06.12.2023
.	umber er shipping name	:	N.O.S.	LLY HAZARDOUS SUBSTANCE, SOLID,
Labe	ing group	:	(Cyfluthrin) 9 III 9 yes	
UN/II	-DGR D No. er shipping name	:	UN 3077 Environmentally h (Cyfluthrin)	azardous substance, solid, n.o.s.
Labe Pack	ing group Is ing instruction (cargo	:	9 III Miscellaneous 956	
ger a	art) ing instruction (passen- iircraft) onmentally hazardous	:	956 yes	
UN r	G-Code humber er shipping name	:	UN 3077 ENVIRONMENTA N.O.S. (Cyfluthrin)	LLY HAZARDOUS SUBSTANCE, SOLID,
Labe EmS	ing group	:	9 III 9 F-A, S-F yes	

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Product Type	:	Insecticides, acaricides and products to control other arthro-
Active substance		pods 10 %
Active substance	•	Cyfluthrin

16. OTHER INFORMATION

according to the Globally Harmonized System



Cyfluthrin WP 10 (100 g/kg)- Solfac WP 10

Version 1.0	Revision Date: 06.12.2023		DS Number: 308164-00001	Date of last issue: - Date of first issue: 06.12.2023
Revis	ion Date	:	06.12.2023	
Further information Sources of key data used to compile the Safety Data Sheet		:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/	
Date	format	: dd.mm.yyyy		
Full 1 ACG	ext of other abbreviati ⊮	ons :		shold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their

according to the Globally Harmonized System



Cyfluthrin WP 10 (100 g/kg)- Solfac WP 10

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.12.2023	11308164-00001	Date of first issue: 06.12.2023

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN