



TEMPRID™ (Imidacloprid 21% + Beta Cyfluthrin 10.5% SC)

1/13

Version 3 / IND
102000028438

Revision Date: 12.01.2023
Print Date: 12.01.2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name TEMPRID™
Product code (UVP) 80928858

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Limited
Bayer House, Central Avenue
Hiranandani Estate
400607 Thane (W)
Maharashtra
India

Telephone +91-22-25311826 / 25311234

Telefax +91-22-25455116

1.4 Emergency telephone no.

Indian Emergency Number 022-25311885 (24 hours/day)

Global Incident Response Hotline (24h) +1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Acute toxicity: Category 4
H302 Harmful if swallowed.

Acute aquatic toxicity: Category 1
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1
H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

**TEMPRID™ (Imidacloprid 21% + Beta Cyfluthrin 10.5% SC)**

2/13

Version 3 / IND
10200028438Revision Date: 12.01.2023
Print Date: 12.01.2023

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Imidacloprid
- Beta-Cyfluthrin

**Signal word:** Warning**Hazard statements**

H302 Harmful if swallowed.
 H410 Very toxic to aquatic life with long lasting effects.
 EUH208 Contains reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1). May produce an allergic reaction.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
 P391 Collect spillage.
 P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

Imidacloprid: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Beta-Cyfluthrin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Chemical nature**

Suspension concentrate (=flowable concentrate)(SC)
 Imidacloprid 243,6 g/l + Beta-Cyfluthrin 121,8 g/l

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Imidacloprid	138261-41-3	Acute Tox. 3, H301 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	21.0
Beta-Cyfluthrin	1820573-27-0	Acute Tox. 2, H300 Acute Tox. 2, H330	10.5



TEMPRID™ (Imidacloprid 21% + Beta Cyfluthrin 10.5% SC)

3/13

Version 3 / IND
102000028438

Revision Date: 12.01.2023
Print Date: 12.01.2023

		Aquatic Acute 1, H400 Aquatic Chronic 1, H410	
Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts	68425-94-5	Skin Irrit. 2, H315 Eye Dam. 1, H318	> 1 – < 10
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	55965-84-9	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	> 0.0015 – < 0.015
Glycerine	56-81-5 01-2119471987-18-XXXX	Not classified	> 1

Further information

Imidacloprid	138261-41-3	M-Factor: 10 (acute), 10 (chronic)
Beta-Cyfluthrin	1820573-27-0	M-Factor: 10,000 (acute)
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Skin Corr. 1C; H314: SCL >= 0.6 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Skin Irrit. 2; H315: SCL 0.06 - < 0.6 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Eye Dam. 1; H318: SCL >= 0.6 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Eye Irrit. 2; H319: SCL 0.06 - < 0.6 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Skin Sens. 1A; H317: SCL >= 0.0015 %

For the full text of the H-Statements mentioned in this Section, see Section 16.



TEMPRID™ (Imidacloprid 21% + Beta Cyfluthrin 10.5% SC)

4/13

Version 3 / IND
102000028438

Revision Date: 12.01.2023
Print Date: 12.01.2023

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. In case of skin irritation, application of oils or lotions containing vitamin E may be considered. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. Apply soothing eye drops, if needed anaesthetic eye drops. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Do NOT induce vomiting. Do not leave victim unattended. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	Local:, Skin and eye paraesthesia which may be severe, Usually transient with resolution within 24 hours, Skin, eye and mucous membrane irritation, Cough, sneezing Systemic:, discomfort in the chest, tachycardia, hypotension, Nausea, Abdominal pain, Diarrhoea, Vomiting, Blurred vision, Headache, Anorexia, Somnolence, Coma, Convulsions, Tremors, Prostration, Airway hyperreaction, Pulmonary oedema, Palpitation, Muscular fasciculation, Apathy, Dizziness
-----------------	---

4.3 Indication of any immediate medical attention and special treatment needed

Risks	This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.
Treatment	Systemic treatment: Initial treatment: symptomatic. Monitor: respiratory and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Keep respiratory tract clear. Oxygen or artificial respiration if needed. In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens. If not effective, phenobarbital may be used. Contraindication: atropine. Contraindication: derivatives of adrenaline. There is no specific antidote. Recovery is spontaneous and without sequelae. In case of skin irritation, application of oils or lotions containing vitamin E may be considered.



TEMPRID™ (Imidacloprid 21% + Beta Cyfluthrin 10.5% SC)

Version 3 / IND
102000028438

5/13

Revision Date: 12.01.2023
Print Date: 12.01.2023

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Water spray, Foam, Carbon dioxide (CO₂), Dry chemical

Unsuitable None known.

Hazchem Code 3Z

5.2 Special hazards arising from the substance or mixture Dangerous gases are evolved in the event of a fire.

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly

**TEMPRID™ (Imidacloprid 21% + Beta Cyfluthrin 10.5% SC)**

6/13

Version 3 / IND
102000028438Revision Date: 12.01.2023
Print Date: 12.01.2023

before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in a place accessible by authorized persons only. Protect from frost. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials HDPE (high density polyethylene)

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	0.7 mg/m ³ (TWA)		OES BCS*
Beta-Cyfluthrin	1820573-27-0	0.01 mg/m ³ (TWA)		OES BCS*

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls**Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.
Suitable respiratory equipment:
Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6

**TEMPRID™ (Imidacloprid 21% + Beta Cyfluthrin 10.5% SC)**

7/13

Version 3 / IND
102000028438Revision Date: 12.01.2023
Print Date: 12.01.2023

	Directive	Protective gloves complying with EN 374.
Eye protection	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).	
Skin and body protection	<p>Wear standard coveralls and Category 3 Type 6 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.</p>	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Form	suspension
Colour	white to beige
Odour	characteristic
Odour Threshold	No data available
pH	6.0 - 8.0 (100 %) (23 °C)
Melting point/range	No data available
Boiling Point	No data available
Flash point	> 93.3 °C
Flammability	No data available
Auto-ignition temperature	No data available
Minimum ignition energy	Not applicable
Self-accelerating decomposition temperature (SADT)	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapour pressure	No data available
Evaporation rate	No data available
Relative vapour density	No data available
Relative density	No data available
Density	1.16 g/cm ³ (20 °C)
Water solubility	dispersible
Partition coefficient: n-octanol/water	No data available

**TEMPRID™ (Imidacloprid 21% + Beta Cyfluthrin 10.5% SC)**

8/13

Version 3 / IND
102000028438Revision Date: 12.01.2023
Print Date: 12.01.2023

Partition coefficient: n-octanol/water	Imidacloprid: log Pow: 0.57 Beta-Cyfluthrin: log Pow: 6.18 (22 °C)
Viscosity, dynamic	No data available
Viscosity, kinematic	No data available
Oxidizing properties	No data available
Explosivity	Not applicable
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on toxicological effects**

Acute oral toxicity	LD50 (Rat) > 1,044 mg/kg
Acute inhalation toxicity	LC50 (Rat) > 2.03 mg/l Exposure time: 4 h Determined in the form of liquid aerosol. highest concentration tested No deaths LC50 (Rat) > 8.12 mg/l Exposure time: 1 h Determined in the form of liquid aerosol. Extrapolated from the 4 hr LC50.
Acute dermal toxicity	LD50 (Rat) > 2,000 mg/kg
Skin corrosion/irritation	slight irritation (Rabbit)
Serious eye damage/eye irritation	Slight irritant effect - does not require labelling. (Rabbit)

**TEMPRID™ (Imidacloprid 21% + Beta Cyfluthrin 10.5% SC)**

9/13

Version 3 / IND
102000028438Revision Date: 12.01.2023
Print Date: 12.01.2023**Respiratory or skin sensitisation**Skin: Non-sensitizing. (Guinea pig)
OECD Test Guideline 406, Buehler test**Assessment STOT Specific target organ toxicity – single exposure**Imidacloprid: Based on available data, the classification criteria are not met.
Beta-Cyfluthrin: Based on available data, the classification criteria are not met.**Assessment STOT Specific target organ toxicity – repeated exposure**Imidacloprid did not cause specific target organ toxicity in experimental animal studies.
The toxic effects of Beta-Cyfluthrin are related to transient neurobehavioral effects typical for pyrethroid neurotoxicity.**Assessment mutagenicity**

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Beta-Cyfluthrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.

Beta-Cyfluthrin was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproductionImidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.
Beta-Cyfluthrin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Beta-Cyfluthrin is related to parental toxicity.**Assessment developmental toxicity**

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

Beta-Cyfluthrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Beta-Cyfluthrin are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity****Toxicity to fish**

LC50 (Oncorhynchus mykiss (rainbow trout)) 211 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient imidacloprid.

LC50 (Oncorhynchus mykiss (rainbow trout)) 0.000068 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient beta-cyfluthrin.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 85 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient imidacloprid.

EC50 (Daphnia magna (Water flea)) 0.00029 mg/l



TEMPRID™ (Imidacloprid 21% + Beta Cyfluthrin 10.5% SC)

10/13

Version 3 / IND
102000028438

Revision Date: 12.01.2023
Print Date: 12.01.2023

Exposure time: 48 h
The value mentioned relates to the active ingredient beta-cyfluthrin.

Toxicity to aquatic plants EC50 (Desmodesmus subspicatus (green algae)) > 10 mg/l
Growth rate; Exposure time: 72 h
The value mentioned relates to the active ingredient imidacloprid.
EC50 (Desmodesmus subspicatus (green algae)) > 0.01 mg/l
Growth rate; Exposure time: 72 h
The value mentioned relates to the active ingredient beta-cyfluthrin.
No acute toxicity was observed at its limit of water solubility.

12.2 Persistence and degradability

Biodegradability Imidacloprid:
Not rapidly biodegradable
Beta-Cyfluthrin:
Not rapidly biodegradable

Koc Imidacloprid: Koc: 225
Beta-Cyfluthrin: Koc: 508 - 3179

12.3 Bioaccumulative potential

Bioaccumulation Imidacloprid:
Does not bioaccumulate.
Beta-Cyfluthrin: Bioconcentration factor (BCF) 506
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Imidacloprid: Moderately mobile in soils
Beta-Cyfluthrin: Immobile in soil

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Imidacloprid: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Beta-Cyfluthrin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological information No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Contaminated packaging Not completely emptied packagings should be disposed of as hazardous waste.

Legal basis



TEMPRID™ (Imidacloprid 21% + Beta Cyfluthrin 10.5% SC)

11/13

Version 3 / IND
102000028438

Revision Date: 12.01.2023
Print Date: 12.01.2023

Waste key in accordance with Schedule I of the Hazardous Waste Rules, 2008 as amended (India - EP Act):

- 29.1 Process wastes/residues
- 29.3 Date-expired and off-specification pesticides

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BETA-CYFLUTHRIN, IMIDACLOPRID SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Hazchem Code	3Z
Tunnel Code	-

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BETA-CYFLUTHRIN, IMIDACLOPRID SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BETA-CYFLUTHRIN, IMIDACLOPRID SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture



TEMPRID™ (Imidacloprid 21% + Beta Cyfluthrin 10.5% SC)

12/13

Version 3 / IND
102000028438

Revision Date: 12.01.2023
Print Date: 12.01.2023

Further information

WHO-classification: II (Moderately hazardous)

Labeling according to Insecticide Rules 1971 as amended. (INDIA)



Class III: Moderately toxic
Colour: bright blue
Danger!
Keep out of the reach of children.

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H300	Fatal if swallowed.
H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development



TEMPRID™ (Imidacloprid 21% + Beta Cyfluthrin 10.5% SC)

13/13

Version 3 / IND
102000028438

Revision Date: 12.01.2023
Print Date: 12.01.2023

RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2020/878 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Reason for Revision: The following sections have been revised: Section 3: Composition / Information on Ingredients. Section 8: Exposure Controls / Personal Protection.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.