



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## EXTERIS STRESSGARD

Version	Revision Date:	SDS Number:	Date of last issue: 06.02.2023
2.0	31.03.2023	11171189-00002	Date of first issue: 06.02.2023

Long-term (chronic) aquatic hazard, Category 1

H410: Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements :  
H317 May cause an allergic skin reaction.  
H362 May cause harm to breast-fed children.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### **Response:**

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

#### **Disposal:**

P501 Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.

#### **Hazardous components which must be listed on the label:**

Trifloxystrobin  
1,2-Benzisothiazol-3(2H)-one

#### **Additional Labelling**

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

EUH208 Contains Trifloxystrobin, 1,2-Benzisothiazol-3(2H)-one. May produce an allergic reaction.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## EXTERIS STRESSGARD

Version 2.0      Revision Date: 31.03.2023      SDS Number: 11171189-00002      Date of last issue: 06.02.2023  
Date of first issue: 06.02.2023

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Chemical nature : Suspension concentrate (=flowable concentrate)(SC)

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Isotridecyl alcohol, ethoxylated, phosphated	73038-25-2	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 2; H411  M-Factor (Acute aquatic toxicity): 1	>= 3 - < 10
Alcohols, C12-16, ethoxylated	68551-12-2	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Chronic 3; H412  Acute toxicity estimate  Acute oral toxicity: 300.03 mg/kg	>= 1 - < 2.5
Trifloxystrobin	141517-21-7  607-424-00-0	Skin Sens. 1; H317 Lact.H362 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 10	>= 1 - < 2.5
Fluopyram	658066-35-4  616-219-00-5	Aquatic Chronic 2; H411	>= 1 - < 2.5
Potassium hydroxide	1310-58-3 215-181-3 019-002-00-8	Met. Corr. 1; H290 Acute Tox. 4; H302 Skin Corr. 1A; H314	>= 0.5 - < 1

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## EXTERIS STRESSGARD

Version 2.0      Revision Date: 31.03.2023      SDS Number: 11171189-00002      Date of last issue: 06.02.2023  
Date of first issue: 06.02.2023

	01-2119487136-33	Eye Dam. 1; H318 EUH014, EUH071  specific concentration limit Skin Corr. 1A; H314 >= 5 % Skin Corr. 1B; H314 2 - < 5 % Skin Irrit. 2; H315 0.5 - < 2 % Eye Irrit. 2; H319 0.5 - < 2 % EUH071 >= 2 %  Acute toxicity esti- mate  Acute oral toxicity: 333 mg/kg	
1,2-Benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411  M-Factor (Acute aquatic toxicity): 1  specific concentration limit Skin Sens. 1A; H317 >= 0.05 %  Acute toxicity esti- mate  Acute oral toxicity: 454 mg/kg	>= 0.0025 - < 0.025

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## EXTERIS STRESSGARD

Version	Revision Date:	SDS Number:	Date of last issue: 06.02.2023
2.0	31.03.2023	11171189-00002	Date of first issue: 06.02.2023

---

vice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
- If swallowed : Get medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No symptoms known or expected.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : There is no specific antidote available. Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Vapours may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Oxides of phosphorus

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## EXTERIS STRESSGARD

Version	Revision Date:	SDS Number:	Date of last issue: 06.02.2023
2.0	31.03.2023	11171189-00002	Date of first issue: 06.02.2023

---

Chlorine compounds  
Nitrogen oxides (NO<sub>x</sub>)  
Fluorine compounds

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### 6.2 Environmental precautions

- Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## EXTERIS STRESSGARD

Version            Revision Date:            SDS Number:            Date of last issue: 06.02.2023  
2.0                31.03.2023                11171189-00002            Date of first issue: 06.02.2023

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Avoid contact during pregnancy and while nursing.  
Do not get on skin or clothing.  
Do not breathe mist or vapours.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.

#### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep in properly labelled containers. Store in accordance with the particular national regulations.
- Advice on common storage : Do not store with the following product types:  
Strong oxidizing agents  
Gases

#### 7.3 Specific end use(s)

- Specific use(s) : Refer to the label and/or leaflet.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Propylene glycol	57-55-6	TWA (Total vapour and particles)	150 ppm 474 mg/m <sup>3</sup>	GB EH40
		TWA (particles)	10 mg/m <sup>3</sup>	GB EH40
C.I. Pigment Green	1328-53-6	TWA (Dusts and	1 mg/m <sup>3</sup>	GB EH40

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## EXTERIS STRESSGARD

Version 2.0      Revision Date: 31.03.2023      SDS Number: 11171189-00002      Date of last issue: 06.02.2023  
Date of first issue: 06.02.2023

7		mists)	(Copper)	
		STEL (Dusts and mists)	2 mg/m <sup>3</sup> (Copper)	GB EH40
Potassium hydroxide	1310-58-3	STEL	2 mg/m <sup>3</sup>	GB EH40

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Propylene glycol	Workers	Inhalation	Long-term local effects	10 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term systemic effects	168 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term local effects	10 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term systemic effects	50 mg/m <sup>3</sup>
C.I. Pigment Green 7	Workers	Inhalation	Long-term systemic effects	4 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	450 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	225 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	45 mg/kg bw/day
Potassium hydroxide	Workers	Inhalation	Long-term local effects	1 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term local effects	1 mg/m <sup>3</sup>
1,2-Benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6.81 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	0.966 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1.2 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	0.345 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Propylene glycol	Fresh water	260 mg/l
	Freshwater - intermittent	183 mg/l
	Marine water	26 mg/l
	Sewage treatment plant	20000 mg/l
	Fresh water sediment	572 mg/kg dry weight (d.w.)
	Marine sediment	57.2 mg/kg dry weight (d.w.)
C.I. Pigment Green 7	Soil	50 mg/kg dry weight (d.w.)
	Fresh water sediment	10 mg/kg
	Marine sediment	1 mg/kg



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## EXTERIS STRESSGARD

Version 2.0      Revision Date: 31.03.2023      SDS Number: 11171189-00002      Date of last issue: 06.02.2023  
Date of first issue: 06.02.2023

	Soil	1 mg/kg
1,2-Benzisothiazol-3(2H)-one	Fresh water	11 µg/l
	Intermittent use/release	0.403 µg/l
	Marine water	1.1 µg/l
	Intermittent use/release	0.0403 µg/l
	Sewage treatment plant	1.03 mg/l
	Fresh water sediment	0.0499 mg/kg dry weight (d.w.)
	Marine sediment	0.00499 mg/kg dry weight (d.w.)
	Soil	3 mg/kg dry weight (d.w.)

### 8.2 Exposure controls

#### Engineering measures

Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.

#### Personal protective equipment

Eye/face protection : Wear the following personal protective equipment:  
Safety glasses  
Equipment should conform to EN 166

#### Hand protection

Material : Nitrile rubber  
Break through time : > 480 min  
Glove thickness : > 0.4 mm  
Directive : Equipment should conform to EN 374  
Protective index : Class 6

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.  
Equipment should conform to EN 143

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## EXTERIS STRESSGARD

Version	Revision Date:	SDS Number:	Date of last issue: 06.02.2023
2.0	31.03.2023	11171189-00002	Date of first issue: 06.02.2023

---

Filter type : Particulates type (P)

---

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state	:	suspension
Colour	:	green
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 93.30 °C
Auto-ignition temperature	:	420 °C
Decomposition temperature	:	No data available
pH	:	6.00 (23 °C) Concentration: 100 %
Viscosity	:	
Viscosity, dynamic	:	100 - 300 mPa.s (20 °C)
Viscosity, kinematic	:	No data available
Solubility(ies)	:	
Water solubility	:	dispersible
Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	No data available

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## EXTERIS STRESSGARD

Version	Revision Date:	SDS Number:	Date of last issue: 06.02.2023
2.0	31.03.2023	11171189-00002	Date of first issue: 06.02.2023

---

Density	:	1.05 g/cm <sup>3</sup> (20.00 °C)
Relative vapour density	:	No data available
Particle characteristics	:	
Particle size	:	Not applicable

### 9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Evaporation rate	:	No data available
Surface tension	:	33.00 mN/m, 20 °C

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Not classified as a reactivity hazard.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
---------------------	---	---

### 10.4 Conditions to avoid

Conditions to avoid	:	None known.
---------------------	---	-------------

### 10.5 Incompatible materials

Materials to avoid	:	Oxidizing agents
--------------------	---	------------------

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

#### Acute toxicity

|| Not classified based on available information.

#### Product:

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## EXTERIS STRESSGARD

Version	Revision Date:	SDS Number:	Date of last issue: 06.02.2023
2.0	31.03.2023	11171189-00002	Date of first issue: 06.02.2023

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg  
Remarks: Based on data from similar materials

### **Components:**

#### **Alcohols, C12-16, ethoxylated:**

Acute oral toxicity : LD50 (Rat): > 300 - 2,000 mg/kg  
Remarks: Based on data from similar materials  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

#### **Trifloxystrobin:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

#### **Fluopyram:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity  
Acute inhalation toxicity : LC50 (Rat): > 5.11 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity  
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

#### **Potassium hydroxide:**

Acute oral toxicity : LD50 (Rat): 333 mg/kg  
Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

#### **1,2-Benzisothiazol-3(2H)-one:**

Acute oral toxicity : LD50 (Rat): 454 mg/kg  
Method: OECD Test Guideline 401  
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## EXTERIS STRESSGARD

Version	Revision Date:	SDS Number:	Date of last issue: 06.02.2023
2.0	31.03.2023	11171189-00002	Date of first issue: 06.02.2023

---

### Skin corrosion/irritation

|| Not classified based on available information.

#### Product:

Species	:	Rabbit
Result	:	Mild skin irritation
Remarks	:	Based on data from similar materials

#### Components:

##### Isotridecyl alcohol, ethoxylated, phosphated:

|| Result : Skin irritation

##### Alcohols, C12-16, ethoxylated:

Species	:	Rabbit
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

##### Fluopyram:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

##### Potassium hydroxide:

Species	:	Rabbit
Result	:	Corrosive after 3 minutes or less of exposure

##### 1,2-Benzisothiazol-3(2H)-one:

|| Result : Skin irritation

### Serious eye damage/eye irritation

|| Not classified based on available information.

#### Product:

Result	:	No eye irritation
--------	---	-------------------

#### Components:

##### Isotridecyl alcohol, ethoxylated, phosphated:

|| Result : Irreversible effects on the eye

##### Alcohols, C12-16, ethoxylated:

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Remarks	:	Based on data from similar materials

##### Fluopyram:

Species	:	Rabbit
---------	---	--------

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## EXTERIS STRESSGARD

Version	Revision Date:	SDS Number:	Date of last issue: 06.02.2023
2.0	31.03.2023	11171189-00002	Date of first issue: 06.02.2023

---

Method	: OECD Test Guideline 405
Result	: No eye irritation

### Potassium hydroxide:

Species	: Rabbit
Result	: Irreversible effects on the eye

### 1,2-Benzisothiazol-3(2H)-one:

Species	: Rabbit
Result	: Irreversible effects on the eye

### Respiratory or skin sensitisation

#### Skin sensitisation

|| May cause an allergic skin reaction.

#### Respiratory sensitisation

|| Not classified based on available information.

#### Product:

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: positive
Remarks	: Based on data from similar materials

Assessment	: Probability or evidence of skin sensitisation in humans
------------	---

#### Components:

#### Alcohols, C12-16, ethoxylated:

Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative
Remarks	: Based on data from similar materials

#### Trifloxystrobin:

Assessment	: Probability or evidence of skin sensitisation in humans
Remarks	: Based on national or regional regulation.

#### Fluopyram:

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: negative

#### Potassium hydroxide:

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## EXTERIS STRESSGARD

Version	Revision Date:	SDS Number:	Date of last issue: 06.02.2023
2.0	31.03.2023	11171189-00002	Date of first issue: 06.02.2023

Test Type	: Intracutaneous test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative

### 1,2-Benzisothiazol-3(2H)-one:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: positive

Assessment	: Probability or evidence of high skin sensitisation rate in humans
------------	---

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Trifloxystrobin:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	: Test Type: Chromosome aberration test in vitro Result: negative
	: Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative

#### Fluopyram:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
	: Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
	: Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative

#### Potassium hydroxide:

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## EXTERIS STRESSGARD

Version	Revision Date:	SDS Number:	Date of last issue: 06.02.2023
2.0	31.03.2023	11171189-00002	Date of first issue: 06.02.2023

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

### 1,2-Benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with  
mammalian liver cells in vivo  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 486  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### Trifloxystrobin:

Species : Rat  
Application Route : Ingestion  
Exposure time : 24 Months  
Result : negative

#### Fluopyram:

Species : Rat  
Application Route : Ingestion  
Exposure time : 104 weeks  
Method : OECD Test Guideline 453  
Result : positive  
Remarks : The mechanism or mode of action is not relevant in humans.

### Reproductive toxicity

May cause harm to breast-fed children.

### Components:

#### Trifloxystrobin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## EXTERIS STRESSGARD

Version 2.0      Revision Date: 31.03.2023      SDS Number: 11171189-00002      Date of last issue: 06.02.2023  
Date of first issue: 06.02.2023

---

Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

Reproductive toxicity - Assessment : Studies indicating a hazard to babies during the lactation period

### Fluopyram:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

### 1,2-Benzisothiazol-3(2H)-one:

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Method: OPPTS 870.3800  
Result: negative

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### Components:

#### Trifloxystrobin:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

#### 1,2-Benzisothiazol-3(2H)-one:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

### Repeated dose toxicity

### Components:

#### Trifloxystrobin:

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## EXTERIS STRESSGARD

Version	Revision Date:	SDS Number:	Date of last issue: 06.02.2023
2.0	31.03.2023	11171189-00002	Date of first issue: 06.02.2023

Species	: Rat
NOAEL	: 10 mg/kg
Application Route	: Ingestion
Exposure time	: 2 yr

### Fluopyram:

Species	: Dog, male
NOAEL	: 13.2 mg/kg
LOAEL	: 67.6 mg/kg
Application Route	: Ingestion
Exposure time	: 1 yr
Method	: OECD Test Guideline 452

### 1,2-Benzisothiazol-3(2H)-one:

Species	: Dog
NOAEL	: 5 mg/kg
LOAEL	: 20 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Method	: Directive 67/548/EEC, Annex, B.27

### Aspiration toxicity

Not classified based on available information.

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.42 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.75 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

EC50 (Mysidopsis bahia (opossum shrimp)): 0.00862 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## EXTERIS STRESSGARD

Version	Revision Date:	SDS Number:	Date of last issue: 06.02.2023
2.0	31.03.2023	11171189-00002	Date of first issue: 06.02.2023

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.0025 mg/l  
Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 5.25 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

### Ecotoxicology Assessment

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### Components:

#### Isotridecyl alcohol, ethoxylated, phosphated:

M-Factor (Acute aquatic toxicity) : 1

### Ecotoxicology Assessment

Acute aquatic toxicity : M-factor: 1, Very toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

#### Alcohols, C12-16, ethoxylated:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 1 - 10 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0.1 - 1 mg/l  
Species: Daphnia (water flea)  
Remarks: Based on data from similar materials

#### Trifloxystrobin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.015 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Mysidopsis bahia (opossum shrimp)): 0.00862 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 0.0174 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC10 (Desmodesmus subspicatus (green algae)): 0.0025

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## EXTERIS STRESSGARD

Version	Revision Date:	SDS Number:	Date of last issue: 06.02.2023
2.0	31.03.2023	11171189-00002	Date of first issue: 06.02.2023

	mg/l
	Exposure time: 72 h
	Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	: 100
Toxicity to fish (Chronic toxicity)	: EC10: 0.0075 mg/l Exposure time: 95 d Species: Oncorhynchus mykiss (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: EC10: 0.00328 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	: 10

### Fluopyram:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 2 mg/l Exposure time: 96 h Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 20 mg/l Exposure time: 48 h Remarks: No toxicity at the limit of solubility
Toxicity to algae/aquatic plants	: ErC50 (Lemna gibba (gibbous duckweed)): 2.51 mg/l Exposure time: 7 d  NOEC (Lemna gibba (gibbous duckweed)): 1.6 mg/l Exposure time: 7 d
Toxicity to fish (Chronic toxicity)	: NOEC: 0.135 mg/l Exposure time: 33 d Species: Pimephales promelas (fathead minnow) Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 1.22 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

### 1,2-Benzisothiazol-3(2H)-one:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 1.6 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 2.9 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 110 µg/l

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## EXTERIS STRESSGARD

Version	Revision Date:	SDS Number:	Date of last issue: 06.02.2023
2.0	31.03.2023	11171189-00002	Date of first issue: 06.02.2023

	Exposure time: 72 h
	Method: OECD Test Guideline 201
	NOEC (Pseudokirchneriella subcapitata (green algae)): 40.4 µg/l
	Exposure time: 72 h
	Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	: 1
Toxicity to microorganisms	: NOEC : 10.3 mg/l
	Exposure time: 3 h
	Method: OECD Test Guideline 209

### 12.2 Persistence and degradability

#### Components:

##### **Alcohols, C12-16, ethoxylated:**

Biodegradability	: Result: Readily biodegradable.
	Biodegradation: > 70 %
	Exposure time: 28 d
	Method: OECD Test Guideline 301E
	Remarks: Based on data from similar materials

##### **1,2-Benzisothiazol-3(2H)-one:**

Biodegradability	: Result: rapidly degradable
------------------	------------------------------

### 12.3 Bioaccumulative potential

#### Components:

##### **Trifloxystrobin:**

Bioaccumulation	: Species: Lepomis macrochirus (Bluegill sunfish)
	Bioconcentration factor (BCF): 431
	Method: OECD Test Guideline 305
Partition coefficient: n-octanol/water	: log Pow: 4.5
	Method: OECD Test Guideline 107

##### **Fluopyram:**

Bioaccumulation	: Species: Lepomis macrochirus (Bluegill sunfish)
	Bioconcentration factor (BCF): 18
	Method: OECD Test Guideline 305
Partition coefficient: n-octanol/water	: log Pow: 3.3
	Method: OECD Test Guideline 107

##### **1,2-Benzisothiazol-3(2H)-one:**

Bioaccumulation	: Species: Lepomis macrochirus (Bluegill sunfish)
-----------------	---

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## EXTERIS STRESSGARD

Version	Revision Date:	SDS Number:	Date of last issue: 06.02.2023
2.0	31.03.2023	11171189-00002	Date of first issue: 06.02.2023

---

	Bioconcentration factor (BCF): 6.62
Partition coefficient: n-octanol/water	: log Pow: 0.7

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product	: It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	: Follow advice on product label and/or leaflet. Empty containers retain residue and can be dangerous. Do not re-use empty containers.
Waste Code	: The following Waste Codes are only suggestions:  used product 02 01 08, agrochemical waste containing hazardous substances  unused product

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## EXTERIS STRESSGARD

Version	Revision Date:	SDS Number:	Date of last issue: 06.02.2023
2.0	31.03.2023	11171189-00002	Date of first issue: 06.02.2023

02 01 08, agrochemical waste containing hazardous substances

uncleaned packagings  
15 01 10, packaging containing residues of or contaminated by hazardous substances

### SECTION 14: Transport information

#### 14.1 UN number or ID number

ADN	:	UN 3082
ADR	:	UN 3082
RID	:	UN 3082
IMDG	:	UN 3082
IATA	:	UN 3082

#### 14.2 UN proper shipping name

ADN	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Trifloxystrobin)
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Trifloxystrobin)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Trifloxystrobin)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Trifloxystrobin)
IATA	:	Environmentally hazardous substance, liquid, n.o.s. (Trifloxystrobin)

#### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	:	9
ADR	:	9
RID	:	9
IMDG	:	9
IATA	:	9

#### 14.4 Packing group

ADN	:	
Packing group	:	III
Classification Code	:	M6

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## EXTERIS STRESSGARD

Version	Revision Date:	SDS Number:	Date of last issue: 06.02.2023
2.0	31.03.2023	11171189-00002	Date of first issue: 06.02.2023

---

Hazard Identification Number : 90  
Labels : 9

### ADR

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

### RID

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

### IMDG

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

### IATA (Cargo)

Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

### IATA (Passenger)

Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

## 14.5 Environmental hazards

### ADN

Environmentally hazardous : yes

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## EXTERIS STRESSGARD

Version	Revision Date:	SDS Number:	Date of last issue: 06.02.2023
2.0	31.03.2023	11171189-00002	Date of first issue: 06.02.2023

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75, 3

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Active substance : 12.5 g/l  
Fluopyram  
  
12.5 g/l  
Trifloxystrobin

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
E1	ENVIRONMENTAL HAZARDS	100 t	200 t

#### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## EXTERIS STRESSGARD

Version	Revision Date:	SDS Number:	Date of last issue: 06.02.2023
2.0	31.03.2023	11171189-00002	Date of first issue: 06.02.2023

### II

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

##### Full text of H-Statements

H290 : May be corrosive to metals.  
H302 : Harmful if swallowed.  
H314 : Causes severe skin burns and eye damage.  
H315 : Causes skin irritation.  
H317 : May cause an allergic skin reaction.  
H318 : Causes serious eye damage.  
H362 : May cause harm to breast-fed children.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.  
H411 : Toxic to aquatic life with long lasting effects.  
H412 : Harmful to aquatic life with long lasting effects.  
EUH014 : Reacts violently with water.  
EUH071 : Corrosive to the respiratory tract.

##### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Aquatic Acute : Short-term (acute) aquatic hazard  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Eye Dam. : Serious eye damage  
Lact. : Effects on or via lactation  
Met. Corr. : Corrosive to metals  
Skin Corr. : Skin corrosion  
Skin Irrit. : Skin irritation  
Skin Sens. : Skin sensitisation  
GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)  
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China;

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## EXTERIS STRESSGARD

Version	Revision Date:	SDS Number:	Date of last issue: 06.02.2023
2.0	31.03.2023	11171189-00002	Date of first issue: 06.02.2023

IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

Skin Sens. 1	H317
Lact.	H362
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

### Classification procedure:

Based on product data or assessment
Calculation method
Based on product data or assessment
Based on product data or assessment

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

XI / EN