according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RODILON WHEAT TECH

Version Revision Date: SDS Number: Date of last issue: 31.01.2023 29.03.2023 11169818-00002 Date of first issue: 31.01.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : RODILON WHEATTECH

Product code : Article/SKU: 80185804 UVP: 05238072 Specification:

102000007527

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Rodenticides

stance/Mixture

Recommended restrictions

on use

Not applicable

1.3 Details of the supplier of the safety data sheet

Company : 2022 Environmental Science FR S.A.S.

For GB: Milton Hall, Ely Rd., Milton Cambridge CB24 6WZ, United Kingdom

For IE/NI:

Lyon Vaise Business Center, 3 Place Giovanni Da Verrazzano

69009 Lyon, France

Telephone : 00800 1214 9451

E-mail address of person responsible for the SDS

: service.clients.es.france@envu.com

1.4 Emergency telephone number

For Emergency or Spill call:

+44 20 3807 3798 (24/7 multilingual support)

IE: National Poisons Information Centre (for public):

01 809 2166

IE: National Poisons Information Centre (for professionals):

01 809 2566

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Specific target organ toxicity - repeated

exposure, Category 2

H373: May cause damage to organs through pro-

longed or repeated exposure.

Long-term (chronic) aquatic hazard, Cat-

H412: Harmful to aquatic life with long lasting ef-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RODILON WHEAT TECH

Version Revision Date: SDS Number: Date of last issue: 31.01.2023 2.0 29.03.2023 11169818-00002 Date of first issue: 31.01.2023

egory 3 fects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Signal word : Warning

Hazard statements : H373 May cause damage to organs through prolonged or

repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P260 Do not breathe dust.

P273 Avoid release to the environment.

Response:

P314 Get medical advice/ attention if you feel unwell.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Hazardous components which must be listed on the label:

Difethialone

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Because of antivitamin K properties of the active ingredient, absorption can inhibit blood coagulation and cause haemorrhagic syndrome.

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosible dust-air mixture if dispersed.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RODILON WHEAT TECH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 31.01.2023

 2.0
 29.03.2023
 11169818-00002
 Date of first issue: 31.01.2023

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Bait (ready for use) (RB)

Components

| Chemical name | CAS-No. | Classification | Concentration |
|---------------|---------------------|---|---------------|
| | EC-No. | | (% w/w) |
| | Index-No. | | |
| | Registration number | | |
| Difethialone | 104653-34-1 | Acute Tox. 1; H300 | >= 0.0025 - < |
| | | Acute Tox. 1; H330 | 0.003 |
| | 607-717-00-3 | Acute Tox. 1; H310 | |
| | | Repr. 1B; H360D | |
| | | STOT RE 1; H372 | |
| | | (Blood) | |
| | | Aquatic Acute 1; | |
| | | H400 | |
| | | Aquatic Chronic 1; | |
| | | H410 EUH070 | |
| | | EUNU/U | |
| | | | |
| | | M-Factor (Acute | |
| | | aquatic toxicity): 100 | |
| | | M-Factor (Chronic | |
| | | aquatic toxicity): 100 | |
| | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | |
| | | | |
| | | specific concentration | |
| | | limit | |
| | | Repr. 1B; H360D | |
| | | >= 0.003 % | |
| | | STOT RE 1; H372 | |
| | | >= 0.02 % | |
| | | STOT RE 2; H373 | |
| | | 0.002 - < 0.02 % | |
| | | | |
| | | Acute toxicity esti- | |
| | | mate | |
| | | | |
| | | Acute oral toxicity: | |
| | | 0.55 mg/kg | |
| | | Acute inhalation tox- | |
| | | icity (dust/mist): | |
| | | 0.005 mg/l | |
| | | Acute dermal toxicity: | |
| | | 6.5 mg/kg | |

For explanation of abbreviations see section 16.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RODILON WHEAT TECH

Version Revision Date: SDS Number: Date of last issue: 31.01.2023 29.03.2023 11169818-00002 Date of first issue: 31.01.2023

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : If large amounts are ingested, the following symptoms may

occur: bloody feces Bloody urine Gum bleeding Nose bleeding

Bruising and haemorrhage formation

Symptoms and hazards refer to effects observed after intake

of significant amounts of the active ingredient(s).

Risks : Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation. Because of antivitamin K properties of the active ingredient, absorption can inhibit blood coagulation and cause haemor-

rhagic syndrome.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : In case of ingestion gastric lavage should be considered in

cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium

sulphate is always advisable.

Recovery is spontaneous and without sequelae.

Monitor: blood picture.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RODILON WHEAT TECH

Version Revision Date: SDS Number: Date of last issue: 31.01.2023 2.0 29.03.2023 11169818-00002 Date of first issue: 31.01.2023

Monitor: prothrombin time/ INR.

Antidote: Vitamine K1. Cases of severe poisoning may require the usual measures like application of blood products or trans-

fusions.

Initial treatment: symptomatic.

Keep under medical supervision for at least 48 hours. Symptoms of poisoning may appear several hours later.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Do not use a solid water stream as it may scatter and spread

fire.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RODILON WHEAT TECH

Version Revision Date: SDS Number: Date of last issue: 31.01.2023 2.0 29.03.2023 11169818-00002 Date of first issue: 31.01.2023

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust, fume, gas, mist, vapours or spray.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RODILON WHEAT TECH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 31.01.2023

 2.0
 29.03.2023
 11169818-00002
 Date of first issue: 31.01.2023

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep in properly labelled containers. Store in accordance with

the particular national regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

7.3 Specific end use(s)

Specific use(s) : Refer to the label and/or leaflet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Eye/face protection : Wear the following personal protective equipment:

Safety goggles

Equipment should conform to EN 166

Hand protection

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : > 0.4 mm

Directive : Equipment should conform to EN 374

Protective index : Class 6

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of

cuts, abrasion, and the contact time.

Skin and body protection : Skin contact must be avoided by using impervious protective

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RODILON WHEAT TECH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 31.01.2023

 2.0
 29.03.2023
 11169818-00002
 Date of first issue: 31.01.2023

clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Equipment should conform to EN 143

Filter type : Particulates type (P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : grains

Colour : red

Odour : No data available

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flammability (solid, gas) : Not classified as a flammability hazard

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : 6.4 (25 °C)

Concentration: 1 %

Viscosity

Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : immiscible

Partition coefficient: n-

octanol/water

Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RODILON WHEAT TECH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 31.01.2023

 2.0
 29.03.2023
 11169818-00002
 Date of first issue: 31.01.2023

Vapour pressure : Not applicable

Density : 0.72 g/cm³ (20.00 °C)

Relative vapour density : Not applicable

Particle characteristics

Particle size : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Dust can form an explosive mixture in air.

Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Inhalation

exposure Skin contact

Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RODILON WHEAT TECH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 31.01.2023

 2.0
 29.03.2023
 11169818-00002
 Date of first issue: 31.01.2023

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Components:

Difethialone:

Acute oral toxicity : LD50 (Rat, male): 0.55 mg/kg

Method: US EPA Test Guideline OPP 81-1

Acute inhalation toxicity : Acute toxicity estimate: 0.005 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Expert judgement

Acute dermal toxicity : LD50 (Rat): 6.5 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Result : No skin irritation

Components:

Difethialone:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result : No eye irritation

Components:

Difethialone:

Species : Rabbit

Method : Directive 67/548/EEC, Annex V, B.5.

Result : No eye irritation

Result : Toxic by eye contact.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RODILON WHEAT TECH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 31.01.2023

 2.0
 29.03.2023
 11169818-00002
 Date of first issue: 31.01.2023

Components:

Difethialone:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Difethialone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection Method: Directive 67/548/EEC, Annex V, B.12.

Result: negative

Germ cell mutagenicity- As-

sessment

Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

Difethialone:

Reproductive toxicity - Assessment

Reproductive toxicity - As- : Clear evidence of adverse effects on development, based on

animal experiments.

Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RODILON WHEAT TECH

Version Revision Date: SDS Number: Date of last issue: 31.01.2023 2.0 29.03.2023 11169818-00002 Date of first issue: 31.01.2023

Components:

Difethialone:

Exposure routes : Ingestion
Target Organs : Blood

Assessment : Shown to produce significant health effects in animals at con-

centrations of 10 mg/kg bw or less.

Exposure routes : Skin contact
Target Organs : Blood

Assessment : Shown to produce significant health effects in animals at con-

centrations of 20 mg/kg bw or less.

Exposure routes : inhalation (dust/mist/fume)

Target Organs : Blood

Assessment : Shown to produce significant health effects in animals at con-

centrations of 0.02 mg/l/6h/d or less.

Repeated dose toxicity

Components:

Difethialone:

Species : Rat

NOAEL : 2 µg/kg

LOAEL : 4 µg/kg

Application Route : Ingestion

Exposure time : 90 Days

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Experience with human exposure

Components:

Difethialone:

Ingestion : Symptoms: Specific developmental abnormalities

Remarks: Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RODILON WHEAT TECH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 31.01.2023

 2.0
 29.03.2023
 11169818-00002
 Date of first issue: 31.01.2023

SECTION 12: Ecological information

12.1 Toxicity

Components:

Difethialone:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.051 mg/l

Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.0044 mg/l

aquatic invertebrates

Every same the second to

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EbC50 (Selenastrum capricornutum (green algae)): 0.065

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Selenastrum capricornutum (green algae)): 0.032 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- :

icity)

100

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

M-Factor (Chronic aquatic

toxicity)

: 100

12.2 Persistence and degradability

Components:

Difethialone:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: < 6 % Exposure time: 28 d

Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

Components:

Difethialone:

Partition coefficient: n- : log Pow: 6.29

octanol/water Method: OECD Test Guideline 117

12.4 Mobility in soil

No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RODILON WHEAT TECH

Version Revision Date: SDS Number: Date of last issue: 31.01.2023 2.0 29.03.2023 11169818-00002 Date of first issue: 31.01.2023

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Components:

Difethialone:

Assessment : This substance is considered to be persistent, bioaccumulat-

ing and toxic (PBT).

: This substance is considered to be very persistent and very

bioaccumulating (vPvB).

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : It is best to use all of the product in accordance with label

directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local

guidelines.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Follow advice on product label and/or leaflet.

Empty containers retain residue and can be dangerous.

Do not re-use empty containers.

Waste Code : The following Waste Codes are only suggestions:

used product

06 13 01, inorganic plant protection products, wood-

preserving agents and other biocides

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RODILON WHEAT TECH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 31.01.2023

 2.0
 29.03.2023
 11169818-00002
 Date of first issue: 31.01.2023

unused product

06 13 01, inorganic plant protection products, wood-

preserving agents and other biocides

uncleaned packagings

15 01 10, packaging containing residues of or contaminated

by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RODILON WHEAT TECH

Version Revision Date: SDS Number: Date of last issue: 31.01.2023 29.03.2023 11169818-00002 Date of first issue: 31.01.2023

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75

If you intend to use this product as tattoo ink, please contact your ven-

dor.

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products

Product Type : Rodenticides

Active substance : 0.0025 %

Difethialone

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RODILON WHEAT TECH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 31.01.2023

 2.0
 29.03.2023
 11169818-00002
 Date of first issue: 31.01.2023

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

ines.

Full text of H-Statements

H300 : Fatal if swallowed.

H310 : Fatal in contact with skin.

H330 : Fatal if inhaled.

H360D : May damage the unborn child.

H372 : Causes damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

EUH070 : Toxic by eye contact.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Repr. : Reproductive toxicity

STOT RE : Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RODILON WHEAT TECH

Version Revision Date: SDS Number: Date of last issue: 31.01.2023 2.0 29.03.2023 11169818-00002 Date of first issue: 31.01.2023

Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Sheet

cy, http://echa.europa.eu/

Classification of the mixture: Classification procedure:

STOT RE 2 H373 Calculation method Aquatic Chronic 3 H412 Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

XI / EN