according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXTERIS STRESSGARD

Version Revision Date: SDS Number: Date of last issue: 01.04.2023 2.0 01.02.2024 11188549-00002 Date of first issue: 01.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : EXTERIS STRESSGARD

Product code : Article/SKU: 85406027 UVP: 81753938 Specification:

102000028296

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-

Fungicide, Plant protection agent

stance/Mixture

Recommended restrictions

on use

: Not applicable

1.3 Details of the supplier of the safety data sheet

Company 2022 Environmental Science FR S.A.S.

1 Place Giovanni Da Verrazzano

69009 Lyon, France

Telephone : +33 451 081 508

E-mail address of person

responsible for the SDS

: service.clients.es.france@envu.com

1.4 Emergency telephone number

+33 1 45 42 59 59

For Emergency or Spill call:

+33 9 75 18 14 07 (24/7 multilingual support)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Effects on or via lactation H362: May cause harm to breast-fed children.

Short-term (acute) aquatic hazard, Cate-

gory 1

H400: Very toxic to aquatic life.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXTERIS STRESSGARD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01.04.2023

 2.0
 01.02.2024
 11188549-00002
 Date of first issue: 01.04.2023

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

REGULATION (EC) No 1272/2008

Hazard pictograms





Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

H362 May cause harm to breast-fed children.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
 P263 Avoid contact during pregnancy and while nursing.
 P280 Wear protective gloves/ protective clothing/ eye protective.

tion/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P308 + P311 IF exposed or concerned: Call a POISON

CENTER/ doctor/ .?.
P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regu-

lations.

Hazardous components which must be listed on the label:

Trifloxystrobin

1,2-Benzisothiazol-3(2H)-one

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXTERIS STRESSGARD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01.04.2023

 2.0
 01.02.2024
 11188549-00002
 Date of first issue: 01.04.2023

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Suspension concentrate (=flowable concentrate)(SC)

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Index-No.		(/O W/W)
	Registration number		
Isotridecyl alcohol, ethoxylated, phosphated	73038-25-2	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 M-Factor (Acute	>= 3 - < 10
		aquatic toxicity): 1	
Alcohols, C12-16, ethoxylated	68551-12-2	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 1 - < 2,5
		Acute toxicity estimate Acute oral toxicity:	
		300,03 mg/kg	
Trifloxystrobin	141517-21-7 607-424-00-0	Skin Sens. 1; H317 Lact.H362 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 1 - < 2,5
		M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 10	
Fluopyram	658066-35-4	Aquatic Chronic 2; H411	>= 1 - < 2,5

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXTERIS STRESSGARD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01.04.2023

 2.0
 01.02.2024
 11188549-00002
 Date of first issue: 01.04.2023

	616-219-00-5		
Potassium hydroxide	1310-58-3 215-181-3 019-002-00-8 01-2119487136-33	Met. Corr. 1; H290 Acute Tox. 4; H302 Skin Corr. 1A; H314 Eye Dam. 1; H318 EUH014, EUH071	>= 0,5 - < 1
		specific concentration limit Skin Corr. 1A; H314 >= 5 % Skin Corr. 1B; H314 2 - < 5 % Skin Irrit. 2; H315 0,5 - < 2 % Eye Irrit. 2; H319 0,5 - < 2 % EUH071 >= 2 %	
		Acute toxicity esti- mate	
		Acute oral toxicity: 333 mg/kg	
1,2-Benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411	>= 0,0025 - < 0,025
		M-Factor (Acute aquatic toxicity): 1	
		specific concentration limit Skin Sens. 1A; H317 >= 0,05 %	
		Acute toxicity esti- mate	
		Acute oral toxicity: 454 mg/kg	

For explanation of abbreviations see section 16.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXTERIS STRESSGARD

Version Revision Date: SDS Number: Date of last issue: 01.04.2023 01.02.2024 11188549-00002 Date of first issue: 01.04.2023 2.0

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders First Aid responders should pay attention to self-protection,

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed : Get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No symptoms known or expected.

Risks : May cause an allergic skin reaction.

May cause harm to breast-fed children.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment There is no specific antidote available.

Treat symptomatically.

In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium

sulphate is always advisable.

Appropriate supportive and symptomatic treatment as indicat-

ed by the patient's condition is recommended.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing High volume water jet

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXTERIS STRESSGARD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01.04.2023

 2.0
 01.02.2024
 11188549-00002
 Date of first issue: 01.04.2023

media

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Vapours may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Oxides of phosphorus Chlorine compounds Nitrogen oxides (NOx) Fluorine compounds

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

so.

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXTERIS STRESSGARD

Version Revision Date: SDS Number: Date of last issue: 01.04.2023 2.0 01.02.2024 11188549-00002 Date of first issue: 01.04.2023

employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Avoid contact during pregnancy and while nursing.

Do not get on skin or clothing. Do not breathe mist or vapours.

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Store in accordance with

the particular national regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Gases

7.3 Specific end use(s)

Specific use(s) : Refer to the label and/or leaflet.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXTERIS STRESSGARD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01.04.2023

 2.0
 01.02.2024
 11188549-00002
 Date of first issue: 01.04.2023

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Potassium hydrox- ide	1310-58-3	VLCT (VLE)	2 mg/m3	FR VLE
	Further information: Indicative exposure limits			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Propylene glycol	Workers	Inhalation	Long-term local effects	10 mg/m3
	Workers	Inhalation	Long-term systemic effects	168 mg/m3
	Consumers	Inhalation	Long-term local effects	10 mg/m3
	Consumers	Inhalation	Long-term systemic effects	50 mg/m3
C.I. Pigment Green 7	Workers	Inhalation	Long-term systemic effects	4 mg/m3
	Workers	Skin contact	Long-term systemic effects	450 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	225 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	45 mg/kg bw/day
Potassium hydroxide	Workers	Inhalation	Long-term local ef- fects	1 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	1 mg/m3
1,2-Benzisothiazol- 3(2H)-one	Workers	Inhalation	Long-term systemic effects	6,81 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,966 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1,2 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0,345 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment Value	
Propylene glycol	Fresh water	260 mg/l
	Freshwater - intermittent	183 mg/l
	Marine water	26 mg/l
	Sewage treatment plant	20000 mg/l
	Fresh water sediment	572 mg/kg dry

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXTERIS STRESSGARD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01.04.2023

 2.0
 01.02.2024
 11188549-00002
 Date of first issue: 01.04.2023

11		weight (d.w.)
	Marine sediment	57,2 mg/kg dry
		weight (d.w.)
	Soil	50 mg/kg dry
		weight (d.w.)
C.I. Pigment Green 7	Fresh water sediment	10 mg/kg
	Marine sediment	1 mg/kg
	Soil	1 mg/kg
1,2-Benzisothiazol-3(2H)-one	Fresh water	11 μg/l
	Intermittent use/release	0,403 μg/l
	Marine water	1,1 µg/l
	Intermittent use/release	0,0403 µg/l
	Sewage treatment plant	1,03 mg/l
	Fresh water sediment	0,0499 mg/kg dry
		weight (d.w.)
	Marine sediment	0,00499 mg/kg
		dry weight (d.w.)
	Soil	3 mg/kg dry
		weight (d.w.)

8.2 Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

Personal protective equipment

Eye/face protection : Wear the following personal protective equipment:

Safety glasses

Equipment should conform to NF EN 166

Hand protection

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : > 0,4 mm

Directive : Equipment should conform to NF EN 374

Protective index : Class 6

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of

cuts, abrasion, and the contact time.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXTERIS STRESSGARD

Version Revision Date: SDS Number: Date of last issue: 01.04.2023 2.0 01.02.2024 11188549-00002 Date of first issue: 01.04.2023

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Equipment should conform to NF EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : suspension

Colour : green

Odour : characteristic

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Flash point : > 93,30 °C

Auto-ignition temperature : 420 °C

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXTERIS STRESSGARD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01.04.2023

 2.0
 01.02.2024
 11188549-00002
 Date of first issue: 01.04.2023

Decomposition temperature : No data available

pH : 6,00 (23 °C)

Concentration: 100 %

Viscosity

Viscosity, dynamic : 100 - 300 mPa.s (20 °C)

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : dispersible

Partition coefficient: n-

octanol/water

Not applicable

Vapour pressure : No data available

Density : 1,05 g/cm³ (20,00 °C)

Relative vapour density : No data available

Particle characteristics

Particle size : Not applicable

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

Surface tension : 33,00 mN/m, 20 °C

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXTERIS STRESSGARD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01.04.2023

 2.0
 01.02.2024
 11188549-00002
 Date of first issue: 01.04.2023

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Inhalation

exposure Skin contact

Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Remarks: Based on data from similar materials

Components:

Alcohols, C12-16, ethoxylated:

Acute oral toxicity : LD50 (Rat): > 300 - 2.000 mg/kg

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Trifloxystrobin:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXTERIS STRESSGARD

Version Revision Date: SDS Number: Date of last issue: 01.04.2023 2.0 01.02.2024 11188549-00002 Date of first issue: 01.04.2023

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Fluopyram:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): > 5,11 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Potassium hydroxide:

Acute oral toxicity : LD50 (Rat): 333 mg/kg

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

1,2-Benzisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat): 454 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Result : Mild skin irritation

Remarks : Based on data from similar materials

Components:

Isotridecyl alcohol, ethoxylated, phosphated:

Result : Skin irritation

Alcohols, C12-16, ethoxylated:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXTERIS STRESSGARD

Version Revision Date: SDS Number: Date of last issue: 01.04.2023 2.0 01.02.2024 11188549-00002 Date of first issue: 01.04.2023

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

Fluopyram:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Potassium hydroxide:

Species : Rabbit

Result : Corrosive after 3 minutes or less of exposure

1,2-Benzisothiazol-3(2H)-one:

Result : Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result : No eye irritation

Components:

Isotridecyl alcohol, ethoxylated, phosphated:

Result : Irreversible effects on the eye

Alcohols, C12-16, ethoxylated:

Species : Rabbit

Result : Irreversible effects on the eye

Remarks : Based on data from similar materials

Fluopyram:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Potassium hydroxide:

Species : Rabbit

Result : Irreversible effects on the eye

1,2-Benzisothiazol-3(2H)-one:

Species : Rabbit

Result : Irreversible effects on the eye

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXTERIS STRESSGARD

Version Revision Date: SDS Number: Date of last issue: 01.04.2023 2.0 01.02.2024 11188549-00002 Date of first issue: 01.04.2023

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : positive

Remarks : Based on data from similar materials

Assessment : Probability or evidence of skin sensitisation in humans

Components:

Alcohols, C12-16, ethoxylated:

Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

Trifloxystrobin:

Assessment : Probability or evidence of skin sensitisation in humans

Remarks : Based on national or regional regulation.

Fluopyram:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact

Species : Mouse

Method : OECD Test Guideline 429

Result : negative

Potassium hydroxide:

Test Type : Intracutaneous test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

1,2-Benzisothiazol-3(2H)-one:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : positive

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXTERIS STRESSGARD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01.04.2023

 2.0
 01.02.2024
 11188549-00002
 Date of first issue: 01.04.2023

Assessment : Probability or evidence of high skin sensitisation rate in hu-

mans

Germ cell mutagenicity

Not classified based on available information.

Components:

Trifloxystrobin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Fluopyram:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection Method: OECD Test Guideline 474

Result: negative

Potassium hydroxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

1,2-Benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXTERIS STRESSGARD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01.04.2023

 2.0
 01.02.2024
 11188549-00002
 Date of first issue: 01.04.2023

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: positive

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with

mammalian liver cells in vivo

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 486

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Trifloxystrobin:

Species : Rat
Application Route : Ingestion
Exposure time : 24 Months
Result : negative

Fluopyram:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks

Method : OECD Test Guideline 453

Result : positive

Remarks : The mechanism or mode of action is not relevant in humans.

Reproductive toxicity

May cause harm to breast-fed children.

Components:

Trifloxystrobin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 416

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

Reproductive toxicity - As- : Studies indicating a hazard to babies during the lactation peri-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXTERIS STRESSGARD

Version Revision Date: SDS Number: Date of last issue: 01.04.2023 2.0 01.02.2024 11188549-00002 Date of first issue: 01.04.2023

sessment od

Fluopyram:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 416

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

1,2-Benzisothiazol-3(2H)-one:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion Method: OPPTS 870.3800

Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

Trifloxystrobin:

Assessment : No significant health effects observed in animals at concentra-

tions of 100 mg/kg bw or less.

1,2-Benzisothiazol-3(2H)-one:

Assessment : No significant health effects observed in animals at concentra-

tions of 100 mg/kg bw or less.

Repeated dose toxicity

Components:

Trifloxystrobin:

Species : Rat

NOAEL : 10 mg/kg

Application Route : Ingestion

Exposure time : 2 yr

Fluopyram:

Species : Dog, male

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXTERIS STRESSGARD

Version Revision Date: SDS Number: Date of last issue: 01.04.2023 2.0 01.02.2024 11188549-00002 Date of first issue: 01.04.2023

NOAEL : 13,2 mg/kg LOAEL : 67,6 mg/kg Application Route : Ingestion

Exposure time : 1 yr

Method : OECD Test Guideline 452

1,2-Benzisothiazol-3(2H)-one:

Species: DogNOAEL: 5 mg/kgLOAEL: 20 mg/kgApplication Route: IngestionExposure time: 90 Days

Method : Directive 67/548/EEC, Annex, B.27

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1,42 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,75 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

EC50 (Mysidopsis bahia (opossum shrimp)): 0,00862 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

: ErC50 (Raphidocelis subcapitata (freshwater green alga)):

0,0025 mg/l

Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 5,25 mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXTERIS STRESSGARD

Version Revision Date: SDS Number: Date of last issue: 01.04.2023 01.02.2024 11188549-00002 Date of first issue: 01.04.2023 2.0

Ecotoxicology Assessment

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

Isotridecyl alcohol, ethoxylated, phosphated:

Toxicity to algae/aquatic : EC50 : > 0,1 - 1 mg/l

plants Exposure time: 72 h

M-Factor (Acute aquatic tox- : 1

icity)

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Alcohols, C12-16, ethoxylated:

Toxicity to fish LC50 (Danio rerio (zebra fish)): > 1 - 10 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other : NOEC: > 0,1 - 1 mg/l

aquatic invertebrates (Chronic toxicity)

Species: Daphnia (water flea)

Remarks: Based on data from similar materials

Trifloxystrobin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,015 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Mysidopsis bahia (opossum shrimp)): 0,00862 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic ErC50 (Desmodesmus subspicatus (green algae)): 0,0174

plants

Exposure time: 72 h

Method: OECD Test Guideline 201

EC10 (Desmodesmus subspicatus (green algae)): 0,0025

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-100

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXTERIS STRESSGARD

Version Revision Date: SDS Number: Date of last issue: 01.04.2023 2.0 01.02.2024 11188549-00002 Date of first issue: 01.04.2023

icity)

Toxicity to fish (Chronic tox-

icity)

: EC10: 0,0075 mg/l Exposure time: 95 d

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

EC10: 0,00328 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

10

Fluopyram:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 2 mg/l

Exposure time: 96 h

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 20 mg/l

Exposure time: 48 h

Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic

plants

ErC50 (Lemna gibba (gibbous duckweed)): 2,51 mg/l

Exposure time: 7 d

NOEC (Lemna gibba (gibbous duckweed)): 1,6 mg/l

Exposure time: 7 d

Toxicity to fish (Chronic tox-

icity)

NOEC: 0,135 mg/l Exposure time: 33 d

Species: Pimephales promelas (fathead minnow)

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 1,22 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

1,2-Benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1,6 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2,9 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 110

μg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 40,4

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXTERIS STRESSGARD

Version Revision Date: SDS Number: Date of last issue: 01.04.2023 2.0 01.02.2024 11188549-00002 Date of first issue: 01.04.2023

μg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- : 1

icity)

Toxicity to microorganisms : NOEC : 10,3 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

12.2 Persistence and degradability

Components:

Isotridecyl alcohol, ethoxylated, phosphated:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 74,2 % Exposure time: 28 d

Method: OECD Test Guideline 301E

Alcohols, C12-16, ethoxylated:

Biodegradability : Result: Readily biodegradable.

Biodegradation: > 70 % Exposure time: 28 d

Method: OECD Test Guideline 301E

Remarks: Based on data from similar materials

1,2-Benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly degradable

12.3 Bioaccumulative potential

Components:

Trifloxystrobin:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 431 Method: OECD Test Guideline 305

Partition coefficient: n- : log Pow: 4,5

octanol/water Method: OECD Test Guideline 107

Fluopyram:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 18 Method: OECD Test Guideline 305

Partition coefficient: n- : log Pow: 3,3

octanol/water Method: OECD Test Guideline 107

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXTERIS STRESSGARD

Version Revision Date: SDS Number: Date of last issue: 01.04.2023 2.0 01.02.2024 11188549-00002 Date of first issue: 01.04.2023

1,2-Benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 6,62

Partition coefficient: n-

octanol/water

: log Pow: 0,7

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : It is best to use all of the product in accordance with label

directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local

guidelines.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Follow advice on product label and/or leaflet.

Empty containers retain residue and can be dangerous.

Do not re-use empty containers.

Waste Code : The following Waste Codes are only suggestions:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXTERIS STRESSGARD

Version Revision Date: SDS Number: Date of last issue: 01.04.2023 2.0 01.02.2024 11188549-00002 Date of first issue: 01.04.2023

used product

02 01 08, agrochemical waste containing hazardous sub-

stances

unused product

02 01 08, agrochemical waste containing hazardous sub-

stances

uncleaned packagings

15 01 10, packaging containing residues of or contaminated

by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Trifloxystrobin)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Trifloxystrobin)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Trifloxystrobin)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Trifloxystrobin)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(Trifloxystrobin)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXTERIS STRESSGARD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01.04.2023

 2.0
 01.02.2024
 11188549-00002
 Date of first issue: 01.04.2023

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III Labels : 9

EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen: 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

rid

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXTERIS STRESSGARD

Version Revision Date: SDS Number: Date of last issue: 01.04.2023 01.02.2024 11188549-00002 Date of first issue: 01.04.2023 2.0

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered: Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your ven-

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or

not.

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation

Not applicable

(Annex XIV)

Active substance

12,5 g/l Fluopyram

12,5 g/l Trifloxystrobin

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXTERIS STRESSGARD

Version **Revision Date:** SDS Number: Date of last issue: 01.04.2023 01.02.2024 11188549-00002 Date of first issue: 01.04.2023 2.0

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

Quantity 1 Quantity 2

E1 **ENVIRONMENTAL** 100 t 200 t

HAZARDS

Occupational Illnesses (R-

461-3, France)

84, 65, 102

4510

Reinforced medical supervi-

sion (R4624-23)

The product has no CMR properties category 1, 1A or 1B

Installations classified for the : protection of the environment

(Environment Code R511-9)

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

Full text of H-Statements

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

May cause harm to breast-fed children. H362

H400 Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects. H410 Toxic to aquatic life with long lasting effects. H411 H412 Harmful to aquatic life with long lasting effects.

EUH014 Reacts violently with water. Corrosive to the respiratory tract. **EUH071**

Full text of other abbreviations

Acute Tox. Acute toxicity

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXTERIS STRESSGARD

Version Revision Date: SDS Number: Date of last issue: 01.04.2023 2.0 01.02.2024 11188549-00002 Date of first issue: 01.04.2023

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage
Lact. : Effects on or via lactation
Met. Corr. : Corrosive to metals
Skin Corr. : Skin corrosion
Skin Irrit. : Skin irritation

Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

FR VLE : France. Occupational Exposure Limits

FR VLE / VLCT (VLE) : Short Term Exposure Limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Classification of the mixture:

Classification procedure:

Skin Sens. 1 H317 Based on product data or assessment

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXTERIS STRESSGARD

Version 2.0	Revision Date: 01.02.2024	SDS Number: 11188549-00002	Date of last issue: 01.04.2023 Date of first issue: 01.04.2023
Lact.		H362	Calculation method
Aquatio	c Acute 1	H400	Based on product data or assessment
Aquatio	Chronic 1	H410	Based on product data or assessment

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

FR / EN